

# POPULAR Computing WEEKLY

35p

3-9 February 1983 Vol 2 No 5

## This Week

### Vic Adventures

Mike Grace looks at the new adventure games being released for the Vic20. See page 12.

### Copyright

Gail Counsell unravels some of the copyright problems facing lending libraries and software pirates. See page 10.

### ZX machine code

Geoff Wilkins introduces two new machine code routines to add extra commands to your ZX Spectrum. See page 22.

### Dragon graphics

David Lawrence continues building up a program from his book *The Working Dragon*. See page 25.

**★ STAR**  
Tank Battle on  
BBC Model B  
by John Meredith  
See page 8  
**GAME★**

## News Desk



## TS2000 with new look silver finish

VARIATIONS on a theme. The new-look Spectrum — the TS2000, and ZX Printer — the TS2040, have been specially designed by Timex for the American market.

Apart from its silver exterior styling the TS2000 is the same as its familiar UK counterpart. It will sell in the US for £95 (16K) and £127 (48K), available in the late spring.

The TS2040 printer is larger than the British ZX Printer, and will sell for less than £65.

As Timex announced the TS2000 machine, the company also cut the price of its TS1000 machine (the ZX81 equivalent) by £10. The price drop takes the form of a rebate coupon and the offer applies only for a limited period until March 31.

## Summer plan for Binatone

THE BINATONE Personalized Computer, originally scheduled for launch in December last year, is now planned for launch in early summer.

"We are hoping for a launch date in May or June and we are still aiming for a colour computer for around the £50 mark," said Binatone Sales Manager, Stephen Oliver.

The budget home computer will feature a full-size push-button keyboard, 16 colours, high resolution graphics and 16K Ram expandable up to 64K. The on-board 12K Rom will run a version of Microsoft Basic. The screen display format will be 64 characters × 16 lines.

The computer will be fully portable with a built-in power supply, cassette drive unit and RS232 interface. The printer output will be 80 characters per line.

It will be made in the Far East. Binatone is looking for 300,000 sales through high-street stores.

## Classified

### Computer Swap 01-930 3266

Free readers entries to buy or sell a computer.  
Ring 01-930 3266 and give us the details.

SHARP MZ80K, 48K, books and mags, £200 ono. 01-804 0500.

TI 99/4a, one year old, software Video Chess, Household Management, Munchman, Mini-memory, £170 ono. C. H. Collier. Tel: 01-831 8244 (daytime).

DRAGON 32, three months old, boxed, £150. Horley (02934) 75547 (after 6 pm).

## Classified

VIC20, 8-16K Ram, super expander, joystick, Vic Revealed. Nottingham 324376 after 5 pm.

WANTED ATARI 800. Must be in good condition. Tel: 571 1309 after 7 pm. For Sale

3K RAM PACK for Vic20 wanted. Tel: 559 2791.

### SPECTRUM 48K COPY TAPE

With this utility you can copy any Spectrum File Type (program, code or arrays) up to 40K, quickly and easily. Complete with full instructions and details of how to deal with certain "Copy Proof" Files.  
£4.95

N. G. EDWARDS  
25 DALES DRIVE, WIMBORNE, DORSET

## Classified

COMMODORE VIC20 + cassette unit and graphic printer and paper. All in excellent condition. Offers over £300. Tel: Lincoln 682660.

WANTED VIC20 Super Expander cartridge. Will swap for 8K Ram + Road Race cartridge. Tel: Colchester 869194 after 7 pm.

SHARP PC 1211, with printer interface, £65. Tel: 0773 812766.

DRAGON 32 or TANDY TRS-80 Colour? Lots of programs — lots of useful hints and information EVERY single month in "RAIN-BOW", an exciting new 200-page magazine from USA. Send £1.95 (plus large 56p s.a.) for sample issue to ELKAN ELECTRONICS (Dept. PCW), FREEPOST, 11 Bury New Road, Prestwich, Manchester M25 6LZ or telephone 061-798 7613 (24-hour service).

## Classified

MATEL INTELLIVISION games cartridges, Bowling, Triple Action, Auto-racing, Sea Battle, + Backgammon, £10 each. Tel: Bath 834595.

TANDY TRS80 Pocket Computer + cassette interface, 6 months old, £65 ono. Mr H. Hall, 41 Dodmoor Grange, Randleigh, Telford TE3 2AT. Tel: 0952 594959.

### DISCOUNT BOOKS

Large range of computer books for everyone from hobbyist to businessman at discount prices. Send large s.a.e. for list. Spectrum Graphics by N. Hampshire, 6.45 Farmsey, Rowcliffe, Brook End, Keysoe, Beds MK44 2HR

Continued on page 28



## NEW SPECTRUM AND ZX81 SOFTWARE

### "WINGED AVENGER"

Fast and furious. SPECTRUM version has SOUND and USER GRAPHICS. 7 LEVELS, 3 WAVES, MOTHER SHIP, HIGH SCORE, RE-FUELLING, RAPID FIRE, SMART BOMBS and LASER SHIELD. PCW "ONE OF THE BEST SINCLAIR GAMES YET". Only £4.50. All SPECTRUM + 16K ZX81.

### "SPECTRUM SCRAMBLE"

MORE M-CODE ARCADE ACTION. "SO GOOD THE REVIEWERS DIDN'T REACH THE FINAL STAGE" (NOT BAD EH!). NO LESS THAN 8 DIRECTIONAL KEYS for a SMOOTH MOVE. Full ARCADE features including, LASERS, BOMBS, INSTANT RESPONSE, CONTINUOUS SCORING, ROCKETS, SOUND, FUEL DUMPS, RED METEORS, DEFENDER CRAFT and HIGH SCORE. Beware CONDITION RED. With this one you MOVE, FIRE and BOMB AT THE SAME TIME. RELEASE PRICE of £4.95, 16K or 48K SPECTRUM.

### "DO NOT PASS GO"

#### NOW THE 48K SPECTRUM VERSION IS READY

A COMPLETE SIMULATION of the BEST SELLING BOARD GAME, you know PARK LANE and all that. Up to SIX PLAYERS can compete with the MICRO doing all the WORK. Acts as DICE THROWER, BOARD, RENT COLLECTOR, UMPIRE, BANK, RULE BOOK, ACCOUNTANT and PROPERTY RECORD. SUPER GRAPHICS by Gary Kennedy (thanks mate). GAME SAVE with winner so far report. COMPLETE with INSTRUCTION BOOKLET. The ULTIMATE in FAMILY GAMES. Don't MONOPOLISE your MICRO. AMAZE all your friends and family. (Can you see your GRANNY on a MICRO?) ONLY £6.95. 16K ZX81 VERSION ALSO £6.95.

### "BASE INVADERS"

The ONLY ARCADE GAME EVERYBODY SHOULD HAVE. THE SCREEN's the same. THE INVADERS are the same, BUT you get a SHIELD and a CHOICE of THREE SPEEDS, (O.K., FAST or INCREDIBLE). GOOD SOUND, a HARD GAME, and GREAT GRAPHICS. COMPLETE your software collection for just £4.50. 16K and 48K SPECTRUM only.

### "AUDIO SONICS"

WINNER of WIZZ KID 82. For the SPECTRUM. A.S. writes sound effects for your own programs. 26 PRE-SELECTED SOUND EFFECTS include TELEPHONE, POLICE SIREN, FROG, SPACE EFFECTS and OUTBOARD MOTOR. GO into MODIFY and you are presented with a display of SLIDER CONTROLS to adjust PITCH, RISE, FALL, BRISKNESS, DECEL, ACCELL, TONE, REPEAT RATE, STUTTER and DELAY. ADJUST the SLIDERS then INSTANTLY hear the SOUND CREATED. Call "THE SOUND ONE" and a program line will appear that is ready for insertion into your own programs. Hours of EXPLORATION. YOU WILL BE AMAZED what BEEP can DO. We are proud to offer this at £4.99. 16K or 48K SPECTRUM.

### "SPECTRUM RENUMBER DELETE"

All M-CODE RENUMBERS ALL NOT PART. "YOU WON'T BUY A BETTER RENUMBER PROGRAM FOR THE SPECTRUM" JUST 600 BYTES. At £4.95. ALSO ZX81 VERSION.

### "HIGH NOON"

When YOU'VE SAVED THE GALAXY, SCRAMBLED or whatever else you do on your MICRO, what about a GUNFIGHT? Play the SPECTRUM or YOUR PALS. THREE LEVELS. FULL FEATURES, GACTI, COFFINS, WAGONS, RAPID or SINGLE SHOTS. SUPERB GRAPHICS. GOOD SOUND including DEATH MARCH. ESCAPISM on TAPE for JUST £4.50.

### "DISPLAY"

Takes over when BIN and the DEMO tape left off. How would you like 273 different user defined GRAPHICS on a 16K SPECTRUM or a GRAND 336 for a 48K. All of these can be displayed on the screen at the SAME TIME. UDGs are stored as PAGES and any TWO PAGES may be exchanged in memory. FILES can be LOADED FROM or SAVED TO TAPE. LOAD into any page location. TURN a UDG 1/4 turn, 1/2 turn, FLIP a SHAPE over, REVERSE a SHAPE, EXPAND 1/4 of a CHARACTER into a full character. UP, DOWN, LEFT or RIGHT by one PIXEL. 5 SHAPE FILES are included on TAPE. INCLUDING a 64 CHARACTERS per LINE DISPLAY. COMPLETE with DEMO PROGRAM and INSTRUCTIONS. JUST RELEASED at £7.00. 48K or 16K SPECTRUM only.

### "TraceON"

BASED on a FILM (GUESS WHICH). TraceON is a REAL TIME ADVENTURE for those of you who can't handle ARCADE GAMES. Your TASK is to COMPLETE a TRILOGY of GAMES successfully. A poor PERFORMANCE will result in a RESTART as may CHEATING. MASTER the DISKS and YOU get to ride a LIGHT BIKE and then RUN the CORRIDORS of DEATH to reach the MASTER CONTROL. REALLY GOOD FRUSTRATING FUN. 48K SPECTRUM £4.50 (16K coming soon.)

### "MATCALC"

For BUSINESS and PROFESSIONAL use. Ideal for WHAT IF situations, CASH FLOW FORECASTS and analysing RELATED figures. 64 character display option. FORMULA may be MATHEMATICAL or LOGICAL. MENU of FUNCTIONS. SAVE and LOAD DATA to TAPE. FULL instructions included. LITERALLY HUNDREDS of USES. BOTH 48K and 16K SPECTRUM PROGRAMS on ONE TAPE. JUST £7.00. EXCELLENT VALUE.

### "PROGRAMMERS DREAM"

A SPECTRUM TOOLKIT. Position independent and just 1450 BYTES. Facilities RENUMBER lines or blocks any increment or start. BLOCK OR LINE MOVE including a RENUMBER into place if required. BLOCK OR LINE ERASE. CHANGE SELECTED, STRINGS (NAMES OR CONTENTS). DUMP variable names and values (usable in a loop). DISPLAY PROGRAM or PROGRAM plus VARIABLE size. INSTANT and CLEAN. JUST £6.95 with explicit instructions.

## WORK FORCE

140 WILSDEN AVENUE, LUTON, BEDS, ENGLAND  
ALSO AVAILABLE AT BUFFER, MICROWARE AND SOFTWARE SUPERMARKET.  
REM WORK FORCE WORKS HARDER.

# VIC-20 GAMES

Top quality software  
from N. America for . . .  
for each program

£1.14

Until Feb. 12th

#### CASSETTE 1

New York Blitz, Space Shuttle  
Super Trap, Kentucky Derby

#### CASSETTE 3 (Joystick)

Frogger  
Boxing  
Sky Diver

#### CASSETTE 2

3-D Maze, Hangman  
5-Pin Bowling, Tennis

#### CASSETTE 4 (Joystick)

Lunar Lander  
Paddle Bug  
Doggie Biscuits

All programs for unexpanded VIC  
Any single cassette (3-4 games) only £6.95  
Any two cassettes (6-8 games) only £11.95  
All four cassettes (14 games) only £15.95  
FREE Character Editor program with every order  
GUARANTEED service and delivery



**Galactic Software**

Send Cheque/P.O. to: Galactic Software, The Willows, Lambrook Road, Shepton Beauchamp, Somerset TA19 0LZ. Tel: (0460) 40744

## ROMIK SOFTWARE

24 Church Street, Slough SL1 1PT. Telephone: Slough (STD 0753) 71535

### SHARK ATTACK

For unexpanded Vic20

You are in shark-infested waters after being thrown overboard from a pirate ship. Your only protection being an atomic net which you trail behind you, trying to cover all the visible ocean and ensnare the sharks at the same time. Beware of stopping or covering your tracks for too long. If you do, then the sharks will escape and come after you. Watch out for the ever increasing deadly octopuses (sometimes the sharks will eat part or all of one!)

### MOONS OF JUPITER

For expanded Vic20, 3K, 8K or 16K

You are the Commander of a fleet of destroyers looking on from the safety of a mother ship, you send in one destroyer at a time to blast a passage through the MOONS OF JUPITER. Your destroyers have to dodge, and blast the UFOs . . . Watch out for the Golegs they can smash your destroyers, but you cannot harm them.

### A Machine Code Arcade Quality Game

#### SEA INVASION

Unexpanded Vic20

Fight off the attacking sea creatures for as long as you can. Shoot the whale for a surprise score, watch out for the crabs, starfish and octopuses.

### MARTIAN RAIDER

For unexpanded Vic20

Skim as close as you dare to the surface of the planet, devastating the Martian cities, destroying ammunition dumps (gaining more time), shooting down the ground-to-air missiles.

### SPECIAL OFFER . . .

C4 COMPUTER CASSETTES

£2.50 for 10; £20 for 100

Available post free from the above address only

**ROMIK PROMISE**  
A MINIMUM OF  
ONE NEW GAME  
EVERY MONTH



### MULTISOUND SYNTHESIZER

For the unexpanded Vic20

The Vic Multisound Synthesizer is very flexible and can be played in more ways than can ever be explained here, to create music and special effects. For example, create any tune, up to 255 notes (after following appropriate instructions), then press "F1" or "F3", then key "9" and enjoy the added effect. Now hit "2", listen to the difference. For a surprise — hit "1". Now add a melody over the top — hit key "8" then "7" — now play a melody, or experiment. Have fun!

### MIND TWISTERS

For unexpanded Vic20

Four games to stretch your brain. Blackjack, Decipher, Four Thought and Teaser are our computerised versions of very popular home games and will test your mental agility and skill for many a long hour.

### SPACE ATTACK

For the unexpanded Vic20

Space Attack is a game of skill. You as the pilot of an intergalactic battleship have to fight your way through wave after wave of various alien spaceships.

ALL PROGRAMS ARE £9.99

### Machine Code Arcade Quality Game

#### STRATEGIC COMMAND

Our first game for the Dragon

A strategy game for two players. Will keep you active for many hours. Air, sea and land battles!

ALL PROGRAMS ARE £9.99

OUR GAMES ARE AVAILABLE FROM ALL  
GOOD HOME COMPUTER STORES



## The Team

### Editor

Brendon Gore

### News Editor

David Kelly [01-930 3271]

### Sub-editor

Ninette Sharp

### Editorial Assistant

Theresa Lacy

### Advertisement Manager

David Lake [01-839 2846]

### Advertisement Executive

Alastair Macintosh [01-930 3260]

### Managing Editor

Duncan Scot

### Publishing Director

Jenny Ireland

*Popular Computing Weekly*,  
Hobhouse Court, 19 Whitcomb Street,  
London WC2

Telephone: 01-839 6835

Published by Sunshine Publications Ltd.

Typesetting, origination and printing by  
Chesham Press, Chesham, Bucks

Distributed by S M Distribution  
London SW9. 01-274 8611. Telex: 261643

© Sunshine Publications Ltd 1983

### Subscriptions

You can have *Popular Computing Weekly* sent  
to your home:

UK Addresses

26 issues ..... £9.98

52 issues ..... £19.95

Overseas Addresses

26 issues ..... £18.70

52 issues ..... £37.40

### How to submit articles

Articles which are submitted for publication  
should not be more than 3,000 words long. The  
articles, and any accompanying programs,  
should be original. It is breaking the law of  
copyright to copy programs out of other maga-  
zines and submit them here — so please do not  
be tempted.

All submissions should be typed and a double  
space should be left between each line. Please  
leave wide margins.

Programs should, whenever possible, be  
computer printed.

We cannot guarantee to return every submit-  
ted article or program, so please keep a copy. If  
you want to have your program returned you  
must include a stamped, addressed envelope.

### Accuracy

*Popular Computing Weekly* cannot accept any  
responsibility for any errors in programs we  
publish, although we will always try our best to  
make sure programs work.

## This Week

### News

5

Oric-1 goes retail.

### Letters

7

Lending library controversy.

### Tank Battle

8

A new game for the BBC Model B by  
John Meredith

### Copyright

10

Gail Counsell unravels some of the  
copyright problems facing lending  
libraries.

### Reviews

12

Mike Grace tests a selection of Vic  
adventure games.



### Open Forum

15

Six pages of your best programs.

### Spectrum

22

Machine coding the Spectrum, by Geoff  
Wilkins

### Dragon

25

The Working Dragon — week 3 in  
building up our program.

### Peek & Poke

27

Your questions answered.

### Competitions

31

Puzzle, Ziggurat, Top 10, Losers.

## Editorial

Artificial Intelligence is a topic that is  
attracting increasing interest, both in  
the media and in the laboratory.

With hard and software expertise  
seemingly growing at an almost ex-  
ponential rate, the idea of a "thinking"  
computer is no longer ridiculous. It is  
not so much a question of "If" so  
much as "When".

But, while a number of people are  
devoting themselves to the mechanics  
of producing Artificial Intelligence, few  
people seem to have given much  
thought to the consequences. If com-  
puters can be devised that genuinely  
think, as opposed to simulating  
thought, will they be regarded as a  
new life form? If so, will they have the  
same rights as humans and will it  
become murder to switch them off?

These questions might seem a little  
fanciful, but they will have to be  
answered all the same. A thinking  
computer could quite conceivably de-  
velop needs and desires of its own  
that could conflict with those of its  
creators. How would such conflict be  
equitably resolved?

If we succeed in creating Artificial  
Intelligence, we shall have to recog-  
nise that there is a price to pay. A  
computer with free will may be a  
dependant, it will not be a servant.

## Next Thursday

Enter the Cavern, a new game for the  
16K Spectrum, by David Leitch. Also,  
Tony Bridge presents a review of the  
latest software for the still strong ZX81  
David Kelly interviews the men behind  
the Oric-1 computer to assess the real-  
ity of their dream to do for the rest of the  
world what Clive Sinclair has done for  
Britain.

## Subscribe to Popular Computing Weekly

I would like to subscribe to *Popular Computing Weekly*.

Please start my subscription from the ..... issue.

UK Addresses: ☐ 26 issues at £9.98 ☐ 52 issues at £19.95

Overseas Addresses: ☐ 26 issues at £18.70 ☐ 52 issues at £37.40

Please tick relevant box

I enclose my cheque to *Popular Computing Weekly* for .....

Name .....

Address .....

Please send this form, and cheque, to *Popular Computing Weekly*, Subscription Dept., Hobhouse Court, 19  
Whitcomb Street, London WC2 7HF.



# VIC20 SOFTWARE LIBRARY

Hire your VIC20 Programs from only 50 pence plus p&p.

Huge selection of software to choose from, plus two offices to handle your orders.

A personal service for your personal computer, from Les and Des at Sovereign.

Send **£9.50** (cheque or postal order) for membership, program list, first order form and a chance to win an 8K expansion for your VIC!

# SOVEREIGN SOFTWARE LIBRARY

101 Somersall Street  
Mansfield  
Notts

48 Rannoch Drive  
Mansfield  
Notts

SEE US  
AT THE ...



# AMAZING NEW PRODUCT TELESOUND 84 BBC/SPECTRUM SOUND BOOSTER

Telesound 84 outputs the computer sound direct through your unmodified TV set. Sound effects then can be controlled from a whisper to a roar. Three easy snap-on connections eliminate soldering.

Telesound 84 measures 2½ x 2 x 1½ cm. and requires no separate power supply. This unique device (patent pending) uses some of the very latest ultra miniature components and costs only **£9.95** inclusive of post, packing, etc.

Full instructions with connection diagrams are supplied so that the unit can be fitted in minutes without any previous experience.

Cheques/PO to  
**COMPUSOUND**

32 Langley Close  
Redditch, Worcs. B98 0ET

Please state your computer when ordering

# C★TECH SOFTWARE

Is this the end of  
**SPACE INVADERS**  
as we know it?

## KONG

An Unbelievable Video Game from C Tech. If you want the latest in Software then this is for you.

The Program begins with a full colour KONG jumping across the screen causing the stairway to tilt out of place, then your man must run up the ladders avoiding KONG'S barrels to rescue his girl.

The final scene has lifts and fireballs all in full colour, sound and with M/C subroutines.

plus  
Panic Island



## PANIC ISLAND

The Standard Panic Program has been modified to produce Panic Island, where you must bury Monsters and hunt for buried Treasure... before they hunt you.

# KRAZY KONG

FOR THE 16K OR 48K

**SPECTRUM £5-00**

**184 Market Street, Hyde, Cheshire 061 366 8223**



# SPECTRUM ARCADE PACK

CITY BOMBER, POLECAT, BREAKOUT, SUBHUNT, CRAZY RACE, FRUIT MACHINE, MISSILE COMMANDER, AND LUNAR LANDING

**£5.00**



8 Brilliant Games for only £5.00, incl. p&p

Available now in good computer shops, and mail order.





## Oric switches out of mail order

ORIC Products International is to discontinue mail-order sales of its Oric 1 microcomputer almost as soon as they have begun.

This change in sales policy will mean that by March the



## Atari signs big names

A VIDEO game based on the story and characters in the Spielberg film *Raiders of the Lost Ark* is just one of the projects in the pipeline, arising from a series of licensing agreements concluded by Atari.

Other well-known faces soon to appear on Atari products are such characters as Mickey Mouse, Snoopy, Woodstock and all the gang from the Peanuts strips.

According to Graham Daubney, Atari's UK Software Manager, the licences apply to both the Atari 400 and 800 computers and to the Atari VCS games machine system. "We will be using the characters, not just in arcade-type games, but also in a range of educational adventure games for younger children," he said.

To accompany the new software for four to seven year olds Atari has announced a controller for the VCS machine with colourful 'chunky' keys.

## More micros get government approval

MICROCOMPUTERS purchased for use by government departments are more likely to be British-made, following the announcement of new guidelines.

The Treasury's Central Computer and Telecommunications Commission which advises on such things has produced a new list of manufacturers approved by the government.

Oric will only be available through an appointed dealership network and selected high-street stores. So far the company has received more than 2,000 orders from mail-order customers.

"Oric now believes that there is only one way to sell a home microcomputer — and that is retail," said sales director Peter Harding.

A number of deals have already been concluded which will put the computer into the high street by April.

From April onwards W H Smith will be stocking the 48K machine. Although Oric claims that W H Smith will take more than 45,000 machines in 1983, a spokesman for the store would only confirm that W H Smith will be taking the computer "in substantial quantities".

The Spectrum chain, Laskeys, Greens and Curry's Micro C have also agreed to stock the computer. Microperipherals and Tangerine (designers of the Oric 1) will act as dealers.

"As with any product it takes time to get up to high-volume production," explained Peter Harding. "But we hope to be out of mail-order by March this year."

Distribution deals have also been signed in France, Germany, Spain, Belgium, Scandinavia, Greece, Singapore and Portugal. Oric is also considering manufacture of the Oric 1 under licence in the USA, Japan, India and Latin America.

At present the company assembles and tests the printed-circuit boards in two operations running in Singapore. The cases are made and final assembly is undertaken at Kenure Plastics in Feltham.

● Oric has announced preliminary details of a range of peripherals for the machine. The Modem is planned for the end of April, priced at £79. A four-colour, plain-paper printer is planned for the same time, priced around £150. Joysticks and double-sided, double-density 5¼ inch disc operating systems are scheduled for the end of May.

Bug-Byte, Artic and Salamander will be producing software for the machine — the first programs should be available in March.



Harrison Ford in *Raiders of the Lost Ark*.

## Commodore gives voice

A SOPHISTICATED voice synthesizer add-on has been announced for the Commodore 64 microcomputer.

Developed by Commodore's Speech Technology Division in Dallas, Texas, the low-cost I/O unit can produce a variety of different voices — male, female, a child's or that of a cartoon character.

The Speech Cartridge plugs into the Rom slot on the Commodore 64 machine. It is addressable from the keyboard and operates using the Basic command word Say. A typical program construction might be Say "Thank you".

The most interesting application of the voice unit will be to add speech as an integral part of a program. Using the cartridge it will be possible to make the characters in an animation sequence speak — with different voices for the different characters.

Also supplied in the Rom cartridge is a learning program to help teach the alphabet.

The speech synthesizer is planned for the second quarter of 1983, and will cost £65.

## Distribution by John Wiley

JOHN WILEY and Sons is to market and distribute Acornsoft's range of software and book titles.

John Wilson, Wiley's computer publications editor, commented: "We found an increasing awareness in the book trade for software and we have agreed to handle Acornsoft's titles."

Acornsoft will continue to promote its material direct but, according to John Wilson, although "the spirit of our agreement is that Wiley will concentrate on its established outlets, Acorn dealers will be able to get software from us if they wish."

The arrangement between the two companies applies to the UK, the rest of Europe and Africa.

The cassette, together with demonstration program and programmers' manual, is available for £15 from Serious Software, 7 Woodside Road, Bickley, Bromley, Kent.

## Lisp for Spectrum

SERIOUS Software has developed a Lisp interpreter for the Spectrum.

The artificial intelligence language is contained in just over 7K of code. Features include over 50 predefined functions, iteration via *Progn* and *While*, a variable number of parameters to user-defined functions, full property list implementation and full error checking.



# THE DRAGON DUNGEON

## DRAGON STICKS!



Top quality joysticks, for the Dragon owner who demands arcade action. Ultra-sensitive, but tough and reliable, Dragon Sticks will keep on zapping when others fail! £19.95 per pair inclusive VAT and postage.

## DRAGON'S TEETH

Our monthly Club Letter will shortly emerge from the depths of the Dungeon, where insomniac games-testers crouch chained to their Dragons, endlessly reviewing the latest software for your benefit.

If you have identified any of those elusive addresses, have spotted any programming quirks of the 6809 or have any tips to assist fellow Dragon-bashers, send them along to the Dungeon.

'Dragon's Teeth' is full of news, reviews, information and products. The Annual Subscription, which includes software discount offers is £6.00 (six-month trial subscription £3.25).

Copies of David Lawrence's 'The Working Dragon 32' now in stock, £5.95 post-free.



The Dragon Dungeon is always on the lookout for innovative software which exploits the Dragon's colour and sound potential, against royalty, outright purchase or sales agency. Secrecy Agreement exchange against unprotected tapes sent for evaluation.

We should also like to get in touch with experienced programmers, who can translate detailed games concepts into working software on a contract basis.

## THE DRAGON DUNGEON

PO BOX 4, ASHBOURNE, DERBYSHIRE DE6 1AQ. TEL: ASHBOURNE 44626

# DRAGON 32 SOFTWARE LIBRARY

● MEMBERSHIP FEE : £10.00

● HIRE FEE : £1.00 PER TAPE PER FORTNIGHT

Micro Care have an extensive range of tapes and cartridges, including Arcade-type games, educational programs, adventure games and utilities. Our aim is simply to be the biggest and best software library service catering exclusively for the Dragon 32.

If you request a program we don't have, and if we consider it suitable, **we will buy it!**

Send **£10.00** cheque or postal order for membership card, order form, Dragon Fact Sheet and discount offer of Micro Care products

## MICRO CARE

1 OAKWOOD ROAD, RODE HEATH, STOKE-ON-TRENT

Telephone: (09363) 5695



## LETTERS

## Poking into memory

In the January 6 edition of *Popular Computing Weekly*, David Nowotnik presented a program to allow easy *Poking* to the Spectrum display memory. The routine was a mixture of Basic and machine code, with the result that it was not very fast.

The routine could have been written entirely in machine code — Figure 1 is a disassembly of just such a routine. David's expression for calculating screen addresses was also a little confusing, but Diagram 1 should make the method a bit clearer.


Program lines 10 to 90 of Figure 3 will locate the routine in the printer buffer, 23297. The desired Y,X co-ordinates should then be *Poked* into 23297, 23298 respectively. The routine is completely relocatable, just remember to *Poke* Y,X into the start address + 1, start address + 2. The result of the calculation is returned in *BC*, so a *Usr* call will return it directly to a variable if desired.

Figure 2 is another machine code routine for calculating screen addresses, only this time it will convert the address in *HL* to its Spectrum equivalent. The address in *HL* is the value you would expect to use

5B00	2	00 00	LD	HL	#0000
5B03	7D		LD	A,L	
5B04	E6	07	AND	#07	
5B06	C5	40	ADD	A,#40	
5B08	47		LD	B,A	
5B09	70		LD	A,R	
5B0A	E0	C0	AND	#C0	
5B0C	1F		RRR		
5B0D	1F		RRR		
5B0E	1F		RRR		
5B0F	80		ADD	A,B	
5B10	47		LD	B,A	
5B11	70		LD	A,L	
5B12	E6	38	AND	#38	
5B14	17		RLA		
5B15	17		RLA		
5B16	84		ADD	A,H	
5B17	4F		LD	C,A	
5B18	C9		RET		

**Fig. 1 X,Y converter.**

Breakdown the Y co-ord like so:



**Diag. 1** Address calculation.

if the Spectrum screen memory was arranged in a conventional manner, ie:

Line 0, Column 0 = 4000 H, 16384 D  
Line 1, Column 0 = 4020 H, 16416 D  
Line 2, Column 3 = 4043 H, 16451 D  
and so on.

The conventional address can be calculated by:  $16384 + 32 \times \text{line} + \text{column}$  where line is in the range 0-191 and column is in the range 0-31.

While this may not seem very useful to the Basic programmer, where using X,Y co-ordinates is the usual method, it is very useful to someone using machine code where a single 16-bit address is often more convenient. Using this routine allows you to move blocks of the screen around using conventional addressing techniques and calling the converter to translate into 'Spectrumese'.

Like the first routine, the result is returned in *BC* but it does not allow you to *Poke* in the data from Basic. If you wish to use the routine from Basic you should add a *LD HL, nn* instruction (33, 0, 0) to the start and then *Poke* in the value as in the first program.

Remember though that here it expects an address, not co-ordinates.

This routine is also relocatable — the loading program in Figure 3 lines 110 to 200 locate it at 23321. Also, bear in mind that the listings in Figures 1 and 2 is in Z80 assembler and should not be entered as part of a Basic program.

Larry Carasco  
43 Broadfield Close  
Dollis Hill  
London NW2 6NR

## Action on libraries . . .

**I** thought you might be interested to know the position of Bug Byte Software in relation to software lending libraries.

We are thoroughly opposed to all forms of lending, hiring, or exchanging by such bodies, and are prepared to take legal action to protect our interests.

It would appear that other major software houses have a similar view and we would therefore be obliged if you would consider withholding any future advertisements

from software lending libraries.

A. D. Baden  
Bug Byte Software  
98-100 The Albany  
Old Hall Street  
Liverpool L3 9EP

## ... or business threatened

After your recent article concerning software lending libraries, *PCW* January 6 1983, it has come to our attention that there has been a marked increase in the activities of these outfits.

As an independent software house the success of our business depends on there being sufficient customers for our products.

If, however, those customers can easily obtain a copy of the cassettes from a lending library which pays no royalties, licensing fees or compensation for loss of sales, then I am sure you will agree that this type of business is both bad for ourselves and for the industry as a whole, which includes your magazine.

I would appreciate some information as regards your views on this matter and also the general feeling amongst other software suppliers.

Douglas Bern  
Silversoft

20 Orange Street  
London WC2H 7ED

We have now received several letters from software companies expressing concern about the recent growth in lending libraries. The view of most of these companies is that the business of lending out taped software is illegal, especially if permission has not been obtained first. As Gail Counsell explains, on page 10, the law is not so simple.

It is our view that the sensible way forward is:

(a) Each cassette should display a message, in a prominent position on the outside, stating that it is a condition of sale that the cassette will not be hired or lent.

(b) A group or association of software companies should club together to enforce the contract in (a).

**Popular Computing Weekly** would be quite happy to hear from any software companies interested in such an approach.

5B19	7C		LD	A,H
5B1A	26	40	LD	H,#40
5B1C	94		SUB	H
5B1D	47		LD	B,A
5B1E	84	18	AND	#18
5B20	86		ADD	A,H
5B21	67		LD	H,A
5B22	7D		LD	A,L
5B23	4F		LD	C,A
5B24	E6	E0	AND	#E0
5B26	17		RLA	
5B27	17		RLA	
5B28	17		RLA	
5B29	17		RLA	
5B2A	84		ADD	A,H
5B2B	67		LD	H,A
5B2C	78		LD	A,B
5B2D	1F		RRR	
5B2E	1F		RRR	
5B2F	1F		RRR	
5B30	1F		RRR	
5B31	E6	E0	AND	#E0
5B33	6F		LD	A,C
5B34	79		LD	A,C
5B35	E6	1F	AND	#1F
5B37	3F		ADD	A,L
5B38	4F		LD	C,A
5B39	44		LD	B,H
5B3A	C9		RET	

**Fig. 2** Address converter.

```

10  FOR a=23295 TO 23320
20  READ b: POKE a,b
30  NEXT a
40  REM X,Y Converter
50  DATA 33,0,0,125,230
60  DATA 7,198,64,71,125
70  DATA 230,192,31,31,31
80  DATA 128,71,125,230,56
90  DATA 23,23,132,79,201
100 REM
110  FOR a=23321 TO 23354
120  READ b: POKE a,b
130  NEXT a
140  REM Address converter
150  DATA 124,38,64,148,71,230
160  DATA 24,132,103,125,79,230
170  DATA 104,22,23,23,132
180  DATA 104,22,31,31,31,31
190  DATA 230,224,111,121,230,31
200  DATA 133,79,68,201

```

**Fig. 3** Decimal data.



# Tank Battle

A new game for the BBC Model B by J Meredith

This program, for a Model B BBC Micro simulates a tank battle. The object of the game is to destroy the enemy tank before it destroys you. The computer controls the black tank while you control the yellow tank.

There are 40 white barriers which give protection to the player's tank. If either tank drives over a barrier it is destroyed. When a missile shot from either tank hits a barrier, then the barrier will explode.

There are nine levels of play. As the level is increased, the enemy tank starts to move faster. Also, the enemy tank is more likely to dodge your missiles.

The program makes good use of the BBC Micro's user-definable characters, for the tanks, the barriers and the explosions. The use of resident integer variables and PROCedures, help to increase the speed at which the program runs.

## Program notes

Line 10 sets the graphics mode.  
Line 20 sets the auto-repeat of the keys.

Lines 40 to 130 set up the instructions of the game and set the level of play.  
Line 160 clears the screen.  
Lines 170 to 290 set up the variables and define the characters.  
Lines 300 to 380 set up the screen for battle.  
Lines 390 to 1130 are the loops and procedures involved in the game.  
Lines 1140 to 1160 inform the player whether he or the enemy has won.  
Lines 1170 to 1200 invite the player to play again.


Line 1210 clears the screen and displays the message "BYE".

Lines 1220 to 1270 create the explosion when either tank is hit.

Line 1280 sets the auto-repeat of the keys back to normal.

## Main variables

LLL%—Level of play.  
PX%—'X' co-ordinate of player's tank.  
PY%—'Y' co-ordinate of player's tank.  
CX%—'X' co-ordinate of enemy tank.  
CY%—'Y' co-ordinate of enemy tank.  
C%—Direction in which the player's tank is pointing.  
CI%—Direction in which the enemy tank is pointing.  
PBX%—'X' co-ordinate of player's missile.  
PBY%—'Y' co-ordinate of player's missile.  
CBX%—'X' co-ordinate of enemy missile.  
CBY%—'Y' co-ordinate of enemy missile.





```

10 MODE 1
20 *FX11,10
300N ERROR GOTO 1280
40 PRINT "TANK BATTLE"
50 PRINT "-----"
60 PRINT "KEYS:"
70 PRINT "E - To move tank up"
80 PRINT "D - To move tank down"
90 PRINT "F - To move tank left"
100 PRINT "G - To move tank right"
110 PRINT "H - To fire a missile"
120 INPUT "Type level of play, "1 is easy,
9 is very hard." "The number should be in the
range of 1-9",LLL$
130 CLS:PRINT "***** G E T
R E A D Y !":FORX=1 TO 10: SOUND 1,-15
,100,5: SOUND 1,0,100,5:NEXT
140 IF LLL$<1 OR LLL$>9 THEN RUN
150 LLL$=10-LLL$
160 CLS
180 BBZ=0
190 VDU 23,224,24,24,219,219,255,255,219,219
200 VDU 23,225,63,63,12,255,255,12,63,63
210 VDU 23,226,219,219,255,255,219,219,24,24
220 VDU 23,227,252,252,48,255,255,48,252,252
230 VDU 23,228,60,126,255,255,255,255,126,60
240 VDU 23,229,0,0,0,0,24,24,0,0,0
250 VDU 23,230,0,0,36,0,0,36,0,0
260 VDU 23,231,0,65,0,0,0,65,0
270 VDU 23,232,129,0,0,0,0,129
280 VDU 23,233,0,0,0,0,0,0,0
290 FXZ=20:PYZ=12:CBXZ=37:CBYZ=30:CZ=227:FZ=0:
PBXZ=-1:PBYZ=-1:C1Z=0:F1Z=0:CEXZ=0:
CEYZ=0:PEXZ=0:PEYZ=0:PEFZ=0:CEFZ=0:CECZ=0:CEFZ=0
300 VDU 19,0,1,0,0,0,19,1,0,0,0
310 COLOUR 2
320 PRINT TAB(PXZ,PYZ):CHR$(227)
330 COLOUR 1
340 PRINT TAB(CXZ,CYZ):CHR$(225)
350 COLOUR 3
360 FOR X=0 TO 40
370 PRINT TAB(RND(34)+2,RND(26)+2):CHR$(228)
380 NEXT
390 AS=INKEY$(0):*FX 15,0
400 TXZ=PXZ:TYZ=PYZ
410 IF AS="E" THEN PYZ=PYZ-1:CZ=224:IF PYZ<2
THEN PYZ=30
420 IF AS="F" THEN PXZ=PXZ-1:CZ=225:IF PXZ<0
THEN PXZ=38
430 IF AS="G" THEN PXZ=PXZ+1:CZ=227:IF PXZ>38
THEN PXZ=0
440 IF AS="D" THEN PYZ=PYZ+1:CZ=226:IF PYZ>30
THEN PYZ=2
450 IF PXZ=CBXZ AND PYZ=CBYZ AND F1Z=0 THEN C1Z=
226:PROC SHOOT
460 IF PXZ=CBXZ AND PYZ<CBYZ AND F1Z=0 THEN C1Z=
224:PROC SHOOT
470 IF PYZ=CBYZ AND PXZ<CBXZ AND F1Z=0 THEN C1Z=
225:PROC SHOOT
480 IF PYZ=CBYZ AND PXZ>CBXZ AND F1Z=0 THEN C1Z=
227:PROC SHOOT
490 IF F1Z=1 THEN PROC SHOOT
500 IF CEFZ=1 THEN PROC EXPL
510 IF PEFZ=1 THEN PROC EXPL
520 IF AS="H" AND FZ=0 THEN 580
530 COLOUR 2
540 IF TXZ=PXZ AND TYZ=PYZ THEN 570
550 PRINT TAB(TXZ,TYZ):" "
560 PRINT TAB(PXZ,PYZ):CHR$(CZ)
570 IF FZ=0 THEN 740 ELSE 640
580 IF CZ=224 THEN PBXZ=PXZ:PBYZ=PYZ-1:BMXZ=0:
BMYZ=-1
590 IF CZ=225 THEN PBXZ=PXZ-1:PBYZ=PYZ:BMXZ=-1:
BMYZ=0
600 IF CZ=226 THEN PBXZ=PXZ:PBYZ=PYZ+1:BMXZ=0:
BMYZ=1
610 IF CZ=227 THEN PBXZ=PXZ+1:PBYZ=PYZ:BMXZ=1:
BMYZ=0
620 FZ=1
630 SOUND 0,-15,6,10
640 PBYZ=PBYZ+BMYZ
650 PBXZ=PBXZ+BMXZ
660 IF PBYZ<2 OR PBYZ>30 OR PBXZ<0 OR PBXZ>38
THEN FZ=0:PRINT TAB(PBXZ-BMXZ,PBYZ-BMYZ):" ":PBXZ
=-1:PBYZ=-1:GOTO 740
670 IF ?(HIMEM+PBYZ*640+PBXZ*16+4)=255
THEN FZ=0:GOTO 720
680 IF PBXZ=CBXZ AND PBYZ=CBYZ THEN
PROC EXPL:GOTO 1160
690 PRINT TAB(PBXZ-BMXZ,PBYZ-BMYZ):" ":PEXZ=PBXZ:
PEYZ=PBYZ:PECZ=229:PEFZ=1:GOTO 740
700 PRINT TAB(PBXZ,PBYZ):CHR$(229)
710 GOTO 740
720 PRINT TAB(PBXZ-BMXZ,PBYZ-BMYZ):" ":PEXZ=PBXZ:
PEYZ=PBYZ:PECZ=229:PEFZ=1:GOTO 740
730 DEF PROC EXPL:COLOUR 3:PRINT TAB(PEXZ,PEYZ):
CHR$(PECZ):PECZ=PECZ+1:IF PECZ=23
4 THEN PEFZ=0:END PROC
740 IF BBZ<LLL$*2 THEN BBZ=BBZ+1 ELSE BBZ=1
750 IF BBZ<1 THEN 390
760 OCXZ=CBXZ:OCYZ=CBYZ
770 IF FZ=1 AND PBXZ=CBXZ AND INT(RND(LLL$)+.999)
=1 THEN CXZ=CBXZ+1:C1Z=227:GOTO 850
780 IF FZ=1 AND PBYZ=CBYZ AND INT(RND(LLL$)+.9999)
=1 THEN CYZ=CBYZ+1:C1Z=226:GOTO 850
790 IF FZ=1 AND (PBXZ=CBXZ+1 OR PBXZ=CBXZ-1) THEN
390
800 IF FZ=1 AND (PBYZ=CBYZ+1 OR PBYZ=CBYZ-1) THEN
390
810 IF PXZ>CBXZ THEN CXZ=CBXZ+1:C1Z=227:GOTO 850
820 IF PYZ>CBYZ THEN CYZ=CBYZ+1:C1Z=226:GOTO 850
830 IF PYZ<CBYZ THEN CYZ=CBYZ-1:C1Z=226:GOTO 850
840 IF PXZ<CBXZ THEN CXZ=CBXZ-1:C1Z=224:GOTO 850
850 IF CXZ<0 THEN CXZ=38
860 IF CXZ>38 THEN CXZ=0
870 IF CYZ<2 THEN CYZ=30
880 IF CYZ>30 THEN CYZ=2
890 COLOUR 1
900 IF OCXZ=CBXZ AND OCYZ=CBYZ THEN 930
910 PRINT TAB(OCXZ,OCYZ):" "
920 PRINT TAB(CXZ,CYZ):CHR$(C1Z)
930 GOTO 390
940 DEF PROC SHOOT
950 IF F1Z=1 THEN 1030
960 COLOUR 1:PRINT TAB(CXZ,CYZ):CHR$(C1Z)
970 IF C1Z=224 THEN CBXZ=CBXZ-1:CBYZ=CBYZ-1:CMXZ=0:
CMYZ=0
980 IF C1Z=225 THEN CBXZ=CBXZ-1:CBYZ=CBYZ:CMXZ=-1:
CMYZ=0
990 IF C1Z=226 THEN CBXZ=CBXZ:CBYZ=CBYZ+1:CMXZ=0:
CMYZ=1
1000 IF C1Z=227 THEN CBXZ=CBXZ+1:CBYZ=CBYZ:CMXZ=1:
CMYZ=0
1010 F1Z=1
1020 SOUND 0,-15,5,10
1030 CBYZ=CBYZ+CMYZ
1040 CBXZ=CBXZ+CMXZ
1050 IF CBYZ<2 OR CBYZ>30 OR CBXZ<0 OR CBXZ>38
THEN F1Z=0:PRINT TAB(CBXZ-CMXZ,CB
YZ-CMYZ):" ":END PROC
1060 IF ?(HIMEM+CBYZ*640+CBXZ*16+4)=255 THEN
F1Z=0:PRINT TAB(CBXZ-CMXZ,CBYZ-CMY
Z):" ":GOTO 1110
1070 IF CBXZ=PBXZ AND CBYZ=PYZ THEN PROC EXPL:
GOTO 1140
1080 PRINT TAB(CBXZ-CMXZ,CBYZ-CMYZ):" "
1090 PRINT TAB(CBXZ,CBYZ):CHR$(229)
1100 END PROC
1110 F1Z=0:CEXZ=CBXZ:CEYZ=CBYZ:CECZ=229:CEFZ=1:
END PROC
1120 DEF PROC EXPL:COLOUR 2:PRINT TAB(CEXZ,CEYZ):
CHR$(CECZ):CECZ=CECZ+1:IF CECZ=23 4 THEN CEFZ=0
1130 END PROC
1140 VDU 20:CLS:PRINT "***** I WIN, YOU ARE DEAD"
1150 GOTO 1170
1160 VDU 20:CLS:PRINT "***** YOU WIN"
1170 *FX 15,0
1180 INPUT "Another game ",AS
1190 IF AS="YES" OR AS="yes" THEN RUN
1200 IF AS<>"NO" THEN 1180
1210 CLS:PRINT "BYE!" :GOTO 1280
1220 DEF PROC EXPL:GOTO 1230
1230 FOR N=1 TO 20
1240 FOR W=1 TO 10: NEXT
1250 VDU 19,N,0,0,0,0,19,N-1,7,0,0,0,0
1260 VDU 19,1,0,0,0,0,19,2,2,0,0,0,19,3,7,0,0,0
1270 NEXT:END PROC
1280 *FX 11,50
1290 END

```



# Tread Softly, pioneer

Gail Counsell tries to untangle the legal jungle created by micro technology

How the law affects computer programs is a thorny subject just at the moment.

Many headaches are being caused by uncertainties in the way software fits into the existing legal structure.

Everyone agrees programs should receive some sort of protection from unfair copying, but no-one seems sure how far they want it to go. And a lot of non-programmers — book and film authors and board-game inventors, for example — are very concerned that they should be properly protected against computer games.

Copyright, trade marks, passing-off and contract are just some of the areas of the law which affect software. But their exact influence is very difficult to assess. Computers have developed so quickly that the law has not really caught up. Trying to guess where the lines will be drawn is what is causing all the problems.

Probably the most talked-about aspect of software protection is copyright. One reason for this interest is that copyright law offers a very wide-ranging protection. If a computer program is copyright (and, though this has not yet been conclusively decided, most people assume it will be) then it is automatically protected against a number of unauthorised acts. The most important of these is the making of copies.

Copyright protection would extend to cover both direct copies of the tape itself and copies made using all or part of the program listing. It would also prevent translations of the program — for example from Basic to Forth, adaptations taking the basis of the program and changing some of the surrounding element and even dramatisations — for instance turning a game program into a play or novel. This is because you cannot 'copy' a program even into a different form. So you probably should not make a three-dimensional board-game copy of someone else's computer game.

This also all applies in reverse. It would probably be a breach of copyright to take an existing board game and turn it into a computer game. And, while we are on the subject, it may also be a breach of trade mark law if the name of the game has been registered and you reproduce it without permission.

Unlike copyright, trade marks have to be applied for. They are not automatically granted — you have to fulfil certain criteria. The trade mark has to be in respect of certain types of goods — games are one sort — and the words used have to be distinctive. So they can't be everyday words like 'football' or 'chess' (on their own, at any rate).

The other danger in converting a game in this fashion is that its original author will claim it is a case of 'passing off'. This is a legal rule which says you must not mislead people — even unintentionally — into thinking that your goods are actually

someone else's.

You must not 'pass off' your computer game as someone else's board game. It does not matter that one is a computer game and the other a board game.

Similar problems arise if you want to use a character from a film or play in your game program. The names of characters are not copyright (though, be careful — they may be protected by trade marks) but the visual presentation of them may well be — Mr Spock's ears for example! When such famous characters are used in a game by a reputable software house, permission is always obtained first. This is called a 'licence' and usually gives the company concerned sole rights to a particular fictional individual. Atari, for example, has recently signed a licensing agreement with Walt Disney to use all its characters. In a similar way, Melbourne House agreed with the Tolkien Estate to use the characters from *The Hobbit*.

A game based on a novel or film may be a breach of copyright. The plot by itself is not copyright, but once you add in charac-

**WARNING:** ALL RIGHTS OF THE PRODUCER AND THE OWNER OF THE WORK REPRODUCED RESERVED. UNAUTHORIZED COPYING, HIRING, LENDING, PUBLIC PERFORMANCE, RADIO OR TV BROADCASTING OR DIFFUSION OF THIS CARTRIDGE PROHIBITED.

© THORN EMI Video Programmes Ltd 1982

ters, incidents and dialogue it soon becomes copyright and 'borrowing' from it will probably be a breach. The line drawn is a very fine one because, to some extent, it depends on the *degree* to which you use these elements.

Another area in which copyright may be important is that of compilers and assemblers. These convert from Basic and hexadecimal addresses, respectively, to varieties of object code. Object code is very like machine-code. Compilers are particularly useful. Anyone who can write a game in Basic can compile it to object-code producing the kind of fast arcade



Gail Counsell

action not possible with Basic.

Some companies which sell compilers have been demanding a royalty payment — a cut, if you like — on each cassette sold where the compiler has been used to write the program. In addition to adding to the cost of cassette software, the logic of such a royalty payment is rather doubtful. It is presumably based on the argument that the compiler is 'translating' the program.

Under copyright law the authorised translator of a copyright work gets copyright in the *translation*. For the translation to be copyright, however, it has to be 'an

**Copyright © 1981 Commodore International. All rights reserved. No part of this program may be duplicated, copied, transmitted or reproduced in any form or by any means without the prior written permission of Commodore International.**

original piece of work produced by skill or labour". Probably, a court, if asked, would say that a purely mechanical process, like that of the compiler, wouldn't count. Rather, the compiler would be like the artist's brush — a tool rather than an originator. If the product of the compiler is not copyright then why should a royalty be charged? The manufacturer who sells the artist the brush does not claim a royalty on every picture!

There are two other 'hot' legal topics at the moment.

Take lending libraries. These are a recent development as far as software is concerned. They operate in much the same way as book, record and video libraries. In return for payment of a membership subscription plus a hiring fee they loan out cassettes for short periods.

Inevitably, some of those who borrow cassettes do so to make copies of them — despite the fact there is often a rule of membership against this. Of course, this is almost certainly a breach of copyright, as





David Paterson, a founding partner of Silversoft.

well as of the membership rules. (The only thing which prevents this being definitely the case is the lack of a court decision conclusively stating that programs are copyright.)

To software houses these libraries represent a threat to sales and some of them — Silversoft for example — are starting to take an aggressive stand. After all, it is argued that, as well as making it easier for people to make illicit copies they also discourage purchases — why buy when you can rent more cheaply. The libraries though contend that they actually encourage sales. Not only do the libraries themselves represent significant bulk buyers of cassettes but many — Sinclair Owners Software Library for example — encourage their members to buy programs they have hired. To the extent that they stimulate interest in computer games generally, it can be said they help to build up a market.

This is the approach taken by Commodore, who, unlike other software houses, do not include a prohibition against lending or

hiring on the outside of their cassettes. Other companies have not yet made up their minds — Thorn/EMI and Atari for instance, both say they are urgently re-viewing what position they should take towards these libraries.

Their decision is not made any the easier by the fact there have not yet been any cases on lending and hiring software. This means the exact legal status of the libraries is uncertain.

The situation is, however, similar to that of record libraries. This parallel is underlined by the fact that some of the companies involved in record manufacture are also engaged in producing computer programs. Thorn/EMI for example. And there have been cases on the legality of record lending libraries.

Lending and hiring without permission is not specifically forbidden under copyright law. So the record companies, trying hard to stop the libraries, attempted to argue that libraries were 'authorising' breaches of copyright. They said when the libraries lent out records they knew (and did not care) that they would be taped and that this was an 'authority' in effect. 'Authorising' a breach of copyright is an offence in itself.

But the courts would have none of it. They said this was stretching the meaning of the word too far.

Then one of the record companies — Thorn/EMI in fact — tried a different argument, based not on *copyright* but on *contract*. They managed to stop a dealer from lending out their records because a clause in his dealership agreement said that he couldn't. Though they were successful, the trouble with this argument, as far as they are concerned, is that it does not help them against independent libraries — only against people who have come to special supply arrangements with them.

So it seems software libraries are not themselves committing any breaches of copyright. If they have dealership agreements though, they may be committing a breach of contract. Such agreements are not common however. There is one other way the libraries could be said to be committing a breach of contract. This involves the second 'hot topic.'

Many cassettes carry notices on them claiming they are copyright and warning against making copies. Some also say the cassettes must not be lent or hired out.

Such clauses are not strictly necessary from the copyright point of view. In this country, at any rate, if something is copyright then it is automatically protected — no word 'copyright' or '(c)' is needed. A copyright notice does however draw the buyer's attention to the fact that the program has such protection (if indeed it does). (In America a copyright notice is necessary before the material is protected.)


But these clauses may have another function. They can be attempts to bind contractually the person buying the cassette. Such notices are promises — the seller promises to sell you the program, but only

if you promise not to copy or lend it.

While copyright law can probably not be used to restrict lending and hiring, such a contractual 'promise' may work. This is a very complicated legal area and for various reasons the attempt could fail. The clause needs to be clearly visible *before* you buy the cassette, for a start. Many of these clauses are inside the packaging and can serve as no more than warning notices.

This is also true for mail order cassettes — the clause would have to be displayed in the advertisement to stand any chance of working.

The big disadvantage of such clauses for software houses is that they do not 'bind third parties.' This means that only the person buying the cassette is stopped



Alec Fry, founder Sinclair Owners' Software Library.

from hiring or lending it. Someone buying or being given it later on would not be.

One final interesting point concerns so-called 'breaker' programs. These are used to break into a machine-code program designed to auto-run on loading. Whether these are legal or not may depend on whether they have any purpose other than to help people break into copyright programs to copy them. If they have not then it may be that they form some sort of 'authority' to make an illicit copy. If so then those selling them might also be committing a breach of copyright.

No one is likely to get thrown into gaol merely because he commits a breach of copyright, contract or any of these other matters — breaches of what are called the 'civil' law are not punishable by a stretch in the 'pen'. But he can be made to hand over any profits he may have made out of things he has done which he should not have. He may also have to pay damages for any financial loss he may have caused — and that can be a very expensive business.

With so many grey areas in the law at the moment as far as software is concerned it may be just as well to err on the side of caution.

● On the letters page of this issue, 7, *Popular Computing Weekly* replies to complaints against lending libraries from Bug Byte Software and Silversoft. PSC is offering to help bring software companies together to take some joint action.



Jellymonsters — offending Atari.



## Adventure trails

**Mike Grace** ruminates on a selection of Vic Adventure games.

Computer games fall into several distinct categories: Invaders type, Educational, Traditional (such as chess), and Adventure. Of course there are subdivisions within those categories, and there are some which do not fit into any of the above, but to my mind most software can be classified within one of these major divisions.

Adventure games form a particular genre and have a mystique all their own, (see my review of the Commodore range in *Popular Computing Weekly* Volume 1:25). It is this type of game that I am reviewing in this article. However not all Adventure-type software is of the traditional type — sometimes to its advantage.

The first batch of Adventure games I tried was from *Leisure Soft* in Blackpool. These games were in cassette form, with very attractive cardboard sleeves inside cases depicting assorted wizards, demons, swords and the other characters typically found in fantasy stories.

Closer scrutiny reveals the artwork to be a trifle amateurish. It always seems a shame that a little more effort and time spent in considering packaging would go a long way towards selling the final product. In software the customer still seems to have to put up with a low standard from so many sources.

Having experienced the Scott Adams series, produced by Commodore, I was a little surprised by these three offerings. The format was essentially the same, (instructions on the screen answered by appropriate text), but the general standard



Mike Grace, our cheerful reviewer.

was much lower. Silly spelling errors crept in occasionally and many of the messages seemed less helpful to my essentially novice status.

More seriously, some of the directions were incorrect so that if I went north to one location I found that by typing south again I would not return to the correct place but to somewhere else. To be fair this only happened in one adventure, but in another I never succeeded in leaving the first location as whatever I typed resulted in my being left in the same place. Although this may be due to some incredible stupidity on my part, after about 15 minutes of frustrated attempts I gave up, assuming it to be a bug in the program.

There were three different adventures to discover. *Time Machine* was one, where I was promised (in the sketchy synopsis written on the accompanying instruction leaflet) that I would have to search for all three glass prisms and insert them into the *Time Machine*. This would have unpredictable results.


To start with I was stranded on a foggy moor looking for the eccentric Dr Potter's old house late at night. Basic good stuff of which adventures are made — but alas this was the program I could not solve at all as whichever direction I typed resulted in the same message "you are on a foggy moor" flashing back onto the screen. If this is a bug perhaps I can explore *Time* more satisfactorily later.

The other two adventures are part of a trilogy which starts with the *Golden Baton* adventure and follows with the *Arrow of Death* Parts I and II. It concerns Tolkienesque characters in the ancient Kingdom of Elves. *Golden Baton* was the better of the two as I managed to get quite a long way into the adventure and the continuity was good. *Arrow of Death* (Part I) annoyed me by failing to adhere to a proper map. I gave

up at an early stage.

The cassettes cost £9.95 plus 50p postage, so are much cheaper than Commodore's range, but the amateurish style (both in presentation of the packaging and of screen layouts in the messages themselves) detracts greatly and I would prefer to pay more for a better game. However, if you want to struggle with an adventure for

## TRADER



**IT IS HARD ENOUGH  
TO LOOK AT AN  
AMORPHOUS HYDROSILICON  
BLOB FROM PSI,  
NEVER MIND SWING A  
DEAL WITH ONE.  
BUT WHEN THEY ASK TO  
PICK YOUR BRAINS...**

## PIXEL

a lot less money then try *The Golden Baton* first, and hopefully Leisure Soft will tidy up the other two to make them easier.

One of the problems with Adventure games is that they are difficult to solve, very time-consuming, and at times extremely frustrating, (which is why they are so appealing to some people of course). But younger children and less enthusiastic adults might like a simpler alternative to the traditional adventure which is easier to solve. Impact Software has produced just



## Chameleon Computer Games

**New!** **Seawolf** — All action Supergame  
 Up periscope, find the convoy in your vicinity, sink what you can, but the destroyer patrol knows you're there, so dive deep and use your instruments and sonar to escape.  
 - For Spectrum only - £ 9.50

### Atari and Spectrum 16k

**ADVENTURE GAMES** : £ 9.50 each  
**TOWER OF BRASHT** : Release your companion from the terrible Kharrs, a role playing game, 1-7 players.

**GHOST OF RADUN** : Having discovered the treasure can you escape from the forces of the supernatural ...

**WIZZARD OF SHAM** : The wizard of the temple must be found, if you want to live on .....

**THE SEVEN CITIES OF CIBOLA** : Is the Legend true, it may take all your courage, and your life, to find out.

**WAR GAMES** : £ 9.50 each

**KING ARTHUR** : 6th Century England, become Arthur and plan your strategy to overcome marauding Saxons.

**BATTLE OF THE BULGE** : Ardennes, 1944. The famous "Von Rundstedt" offensive .....

**CHILDRENS GAMES** : £ 4.50 each

**PETER RABBIT SERIES** :  
 Peter Rabbit and the Magic carrot


**TUMMY DIGS SERIES** :  
 Tummy Digs goes shopping.

Please add 50p P&P for each order

LYNTONIA HOUSE 7-9 PRAED ST. LONDON W2  
 Telephone 01 402-7270. Telex 8953471



## SPECIAL OFFER



### Vic-20 Computer

## £129.99 (incl. VAT)

The Vic Centre has London's most comprehensive range of Vic-20 and Commodore 64 hardware and software. Telephone or call at The Vic Centre, 154 Victoria Road, North Acton, London W3 (opposite North Acton tube station) just off the A40.

Telephone: 01-992 9904

Monday-Saturday 10.00am-5.00pm

VISA, ACCESS, AMEX

## For Vic-20, Atari, Texas Instruments & Sinclair

### missile panic

TRAPPED IN THE MAZE OF DEATH THE VENOMOUS MISSILE IS ON YOUR PATH. THERE'S NO HIDING.

A High Speed, Nerve racking Arcade Game for the Unexpanded VIC

Just £6 inclusive

#### ROAD RUNNER £5

In this remarkable game you must control Eric the Road Runner, through the "space warp" of vertical molecular - and safety into the gravity space lanes. With ever increasing levels of play, a super "end head" is needed to conquer this addictive machine code game.

#### SPACE HOPPER £5

Once there was Hopper, then Packman, now there's Space Hopper. Can you guide your Space Hopper through the hustle and bustle of space traffic, without being crushed by intergalactic space traffic? Can you avoid being shot by hidden laser guns and are you able to hop through the space warp? If you think you can, order it today!

#### ANDROID ATTACK £5

The Androids of Jupiter are ever growing in size on your path in the maze of the lost job. They look more menacing as each second passes and will attack without mercy. Run to stay alive!

FOR THE UNEXPANDED VIC-20

Just £6 inclusive



400/800(16k)

SENSIBLY PRICED ATARI SOFTWARE NOW AVAILABLE FROM TITAN

### CAVERNS

Enter the world of space adventure with this totally addictive arcade game that will take a long time to outgrow, and one that does not cost the earth. Navigate your spaceship through rock caverns, past laser fields, through rock valleys and into the unknown. You will have to see it to believe it! Supplied on cassette with full instructions.

Just £6 inclusive

### MISSION 99



THERE'S TERROR IN THE STREETS. MANHATTAN IS UNDER ATTACK. YOURS THE ENEMY. DON'T MISS IT. Supplied on Cassette with full instructions for the standard T199/4A.

### GROUND FORCE

Just £5 inclusive

Sinclair ZX Spectrum

The Ground Forces have been destroyed so the air attack must begin and you're in control!

A superb Arcade Game for the 16k or 48k Spectrum

### IMMEDIATE DELIVERY

Please send me  
 I enclose cheque/P.O. for ..... OR Please debit my Access No.  
 Barclaycard No. .... Expiry date .....  
 Name .....  
 Address ..... Post Code .....  
 Dealers Discount Available  
 ACCESS, BARCLAYCARD ORDERS WELCOME ON 24hr  
 ANSWERPHONE 0249 653824 or mail to:  
 TITAN PROGRAMS, THE COMPUTER PALACE,  
 46 MARKET PLACE, CHIPPENHAM, WILTSHIRE SN15 3HU

PCWK



## TITAN PROGRAMS

THE COMPUTER PALACE, 46 MARKET PLACE  
 CHIPPENHAM, WILTSHIRE SN15 3HU ENGLAND



# OPEN FORUM

**Open Forum** is for you to publish your programs and ideas. Take care that the listings you send in are all bug-free. Your documentation should start with a general description of the program and what it does and then give some detail of how the program is constructed. We will pay the *Program of the Week* double our new fee of £6 for each program published.

## Editor

### on Dragon

The Dragon's Microsoft editor is excellent, but there are two extra commands which the manual doesn't mention, these are:

'A' Refills the edit buffer with the original program line, (this is useful when editing has become confused).

'Q' Aborts the editor, makes no changes to program line and gives OK prompt.

Yet another major omission from the Dragon manual is the *Dn Error* message. This stands for 'Device Number Error' and occurs if the number in an *Open/Close/Eof* command is not 0, -1, or -2. Try *Print Eof(-7)* for example.

Peter Chase's article on repeating *In-keys* is very good (issue 36) but his function which needs a whole subroutine may be reproduced in one line as:

```
10 DEF FNA(A)=ABS(PEEK(135)*((PEEK(65280)
OR 128)<>255))
```

and may be used by *A=FNA(0)* where *A* will equal the Ascii code of any key being pressed. *A* will equal zero if no key is being pressed.

It can be annoying when writing programs which require Yes/No answers to have to check for both upper and lower case letters. Memory location 329 is the

lower case on/off switch. *Poke 329,0* turns lower case on; *Poke 329,255* turns it off.

Anybody writing machine code programs should find the following notes especially useful:

```
105 & 106 Line number of program line currently being
executed
136 & 137 PRINT@ position in memory, ie if PRINT
position were at 23, PEEK(137)+256
★PEEK(136) would give 1047.
337 to 345 Keyboard check.
426 to 433 Name of file being searched for.
434 to 441 Name of file being loaded.
274 & 275 Value of TIMER function.
For the 'PLAY' command:
226 TEMPO
225 NOTE DURATION
222 CONTROLS OCTAVE
```

Locations 346 to 349 contain the values of *Joystick(0)* to *Joystick(3)* respectively. These may be updated by calling the Rom routine which starts at location 48466. In Basic this would be *Exec(48466)*.

Locations 65494 and 65495 are used to alter the CPU speed. *Poke 65495,255* will double the speed to 1.8 MHz, *Poke 65494,255* returns it to its normal speed. The Dragon is not designed to run at 1.8 MHz and so I don't really recommend its frequent use in programs. Other useful Rom routines that may be called are:

*EXEC(41194)* which will flash the cursor until any key is pressed.

*EXEC(46089)* which will restart BASIC giving the usual (C) 1982 DRAGON DATA LTD message.

Bit 3 of location 65313 controls the cassette relay. 1 is on, 0 is off. Bit 0 of location 65312 is the cassette data input.

Finally, I give below two machine code routines that may be of general use, the first scrolls the Hi-Res screen down by one pixel in *Pmodes 3* and *4*, the second can be used to either invert the whole text screen to white on black or clear the text screen to an Ascii character. The routines can be located anywhere in Ram as they contain no absolute jumps etc.

```
10 CLEAR 200,31999
20 DATA 142,23,223,16,142,23,255,166,137,
6,0,167,169,6,0,49,63,48,31,140,255,255,46,
239,57
30 FOR I=1 TO 25
40 READ A:POKE 31999+I,A
50 NEXT I
call by EXEC(32000)
Screen invert/clear;
10 CLEAR 200,31999
20 DATA 142,0,0,166,137,
4,0,132,191,167,137,4,0,48,1,140,2,0,37,239,57
30 B=32050:FOR I=0 TO 20:READ A
40 POKE B+I,A
50 NEXT I
```

call by *EXEC(B)*

To change to screen clear, *Poke B+7,134* and *Poke B+8*, Ascii of required character. These two routines can be used separately or together.

## Editor

by Brian Gadge

## Colour Strips

### on Spectrum

This program draws, in the right-hand bottom corner of the screen, the Spectrum colour stripes. It is numbered in such a way as to be easily *Merged* with other programs to provide an extra splash of colour to a title page.

The program uses the *Inverse* function by making the yellow and blue stripes from ink colour which has been inverted to paper.

As it stands the main paper colour of the page is defined by the variable 'P' but this can, obviously, be altered to suit requirements. It may be necessary to change or even delete line 9810 in these circumstances.

```
9800 REM © Steve Mercer 1982
9805 LET P=0
9810 BORDER 7: PAPER P: CLS : IN
K 2
9815 LET X=64: LET Y=64
9820 FOR N=191 TO 255
9825 PLOT N,0: DRAW X,Y
9830 LET X=X+1: LET Y=Y-1
9835 NEXT N
9840 LET X=50: LET Y=50
9845 INVERSE 1
9850 FOR N=205 TO 255
9855 PLOT PAPER 6,N,0: DRAW PAPER
6,X,Y
```

```
9860 LET X=X-1: LET Y=Y-1
9865 NEXT N: INVERSE 0
9870 INK 4: LET X=38: LET Y=38
9875 FOR N=217 TO 255
9880 PLOT N,0: DRAW X,Y
9885 LET X=X-1: LET Y=Y-1
9890 NEXT N
9895 INVERSE 1: LET X=26: LET Y=
26
9900 FOR N=229 TO 255
9905 PLOT PAPER 1,N,0: DRAW PAPER
1,X,Y
9910 LET X=X-1: LET Y=Y-1
9915 NEXT N: INVERSE 0
9920 INK P: LET X=14: LET Y=14
9925 FOR N=241 TO 255
9930 PLOT N,0: DRAW X,Y
9935 LET X=X-1: LET Y=Y-1
9940 NEXT N
9945 STOP
string array a$(2,4,6,)
string array b$(198,10,)
variable array a$(5,3,)
variable sum=17
variable xl=1:xl=10
variable pl=3:pl=1415927
variable z=22:z=2271
variable z=186
for-next count
string z$=""
END OF DUMP
```

## Colour Strips

by Stephen Mercer

## Vardump

### on Spectrum

Last week we inadvertently left out this program by D S Laurence.

```
9980 REM Vardump
9981 LET ZZZ=PEEK 23827+256*PEEK
23828
9982 LET ZZ=PEEK ZZZ
9983 IF ZZ=128 THEN PRINT "END O
F DUMP": STOP
9984 IF ZZ=96 AND ZZ=127 THEN
LET ZZZ=ZZ+6: PRINT "variable"
CHR$(ZZ)="":VAL(CHR$(ZZ)):GO
TO 9986
9985 IF ZZ=160 AND ZZ=191 THEN
PRINT "variable"
ZZ=ZZ+6:GO TO 9986
9986 IF ZZ=128 AND ZZ=159 THEN
PRINT "variable array" CHR$(ZZ)
=CHR$(ZZ)+3:FOR H=1 TO PEEK(ZZZ
+3):PRINT PEEK(ZZZ+2+2*H)+256*P
EEK(ZZZ+2+2*H+3):NEXT H:PR
INT " "
9987 IF ZZ=224 AND ZZ=255 THEN
LET ZZZ=ZZ+10:PRINT "for-next
count" CHR$(ZZ)=CHR$(ZZ)+10:VAL
(CHR$(ZZ))
9988 IF ZZ=128 AND ZZ=191 THEN L
ET ZZZ=ZZ+3:PRINT "string" CHR$
(ZZZ+32)="":VAL(CHR$(ZZ+32))
GO TO 9982
9989 IF ZZ=192 AND ZZ=223 THEN
PRINT "string array" CHR$(ZZ+3
6)="":FOR H=1 TO PEEK(ZZZ+36)
PRINT PEEK(ZZZ+2+2*H)+256*P
EEK(ZZZ+2+2*H+3):NEXT H:PR
INT " "
9990 LET ZZZ=ZZ+1: IF PEEK ZZZ
=128 THEN LET ZZZ=ZZ+6: PEEK ZZZ
GO TO 9990
9991 LET ZZZ=ZZ+CHR$(PEEK ZZZ-12
8) PRINT " "
9992 LET ZZZ=ZZ+6:GO
TO 9982
```

## Vardump

by D S Laurence



# OPEN FORUM

**Open Forum** is for you to publish your programs and ideas. Take care that the listings you send in are all bug-free. Your documentation should start with a general description of the program and what it does and then give some detail of how the program is constructed. We will pay the *Program of the Week* double our new fee of £6 for each program published.

## Editor

### on Dragon

The Dragon's Microsoft editor is excellent, but there are two extra commands which the manual doesn't mention, these are:

'A' Refills the edit buffer with the original program line, (this is useful when editing has become confused).

'Q' Aborts the editor, makes no changes to program line and gives OK prompt.

Yet another major omission from the Dragon manual is the *Dn Error* message. This stands for 'Device Number Error' and occurs if the number in an *Open/Close/Eof* command is not 0, -1, or -2. Try *Print Eof(-7)* for example.

Peter Chase's article on repeating *In-keys* is very good (issue 36) but his function which needs a whole subroutine may be reproduced in one line as:

```
10 DEF FNA(A)=ABS(PEEK(135)*((PEEK(65280)
OR 128)<>255))
```

and may be used by *A=FNA(0)* where *A* will equal the Ascii code of any key being pressed. A will equal zero if no key is being pressed.

It can be annoying when writing programs which require Yes/No answers to have to check for both upper and lower case letters. Memory location 329 is the

lower case on/off switch. *Poke 329,0* turns lower case on; *Poke 329,255* turns it off.

Anybody writing machine code programs should find the following notes especially useful:

```
105 & 106 Line number of program line currently being
executed
136 & 137 PRINT@ position in memory, ie if PRINT
position were at 23, PEEK(137)+256
★PEEK(136) would give 1047.
337 to 345 Keyboard check.
426 to 433 Name of file being searched for.
434 to 441 Name of file being loaded.
274 & 275 Value of TIMER function.
For the 'PLAY' command:
226 TEMPO
225 NOTE DURATION
222 CONTROLS OCTAVE
```

Locations 346 to 349 contain the values of *Joystick(0)* to *Joystick(3)* respectively. These may be updated by calling the Rom routine which starts at location 48466. In Basic this would be *Exec(48466)*.

Locations 65494 and 65495 are used to alter the CPU speed. *Poke 65495,255* will double the speed to 1.8 MHz, *Poke 65494,255* returns it to its normal speed. The Dragon is not designed to run at 1.8 MHz and so I don't really recommend its frequent use in programs. Other useful Rom routines that may be called are:

*EXEC(41194)* which will flash the cursor until any key is pressed.

*EXEC(46089)* which will restart BASIC giving the usual (C) 1982 DRAGON DATA LTD message.

Bit 3 of location 65313 controls the cassette relay, 1 is on, 0 is off. Bit 0 of location 65312 is the cassette data input.

Finally, I give below two machine code routines that may be of general use, the first scrolls the Hi-Res screen down by one pixel in *Pmodes 3* and *4*, the second can be used to either invert the whole text screen to white on black or clear the text screen to an Ascii character. The routines can be located anywhere in Ram as they contain no absolute jumps etc.

```
10 CLEAR 200,31999
20 DATA 142,23,223,16,142,23,255,166,137,
6,0,167,169,6,0,49,63,48,31,140,255,255,46,
239,57
30 FOR I=1 TO 25
40 READ A: POKE 31999+I,A
50 NEXT I
call by EXEC(32000)
Screen invert/clear;
10 CLEAR 200,31999
20 DATA 142,0,0,166,137,
4,0,132,191,167,137,4,0,48,1,140,2,0,37,239,57
30 B=32050: FOR I=0 TO 20: READ A
40 POKE B+I,A
50 NEXT I
```

call by *EXEC(B)*

To change to screen clear, *Poke B+7,134* and *Poke B+8*, Ascii of required character. These two routines can be used separately or together.

## Editor

by Brian Gadge

## Colour Strips

### on Spectrum

This program draws, in the right-hand bottom corner of the screen, the Spectrum colour stripes. It is numbered in such a way as to be easily *Merged* with other programs to provide an extra splash of colour to a title page.

The program uses the *Inverse* function by making the yellow and blue stripes from ink colour which has been inverted to paper.

As it stands the main paper colour of the page is defined by the variable 'P' but this can, obviously, be altered to suit requirements. It may be necessary to change or even delete line 9810 in some circumstances.

```
9800 REM © Steve Mercer 1982
9805 ET=0
9810 BORDER 7: PAPER P: CLS: IN
K 2
9815 LET X=64: LET Y=64
9820 FOR N=191 TO 255
9825 PLOT N,0: DRAW X,Y
9830 LET X=X-1: LET Y=Y-1
9835 NEXT N
9840 LET X=50: LET Y=50
9845 INVERSE 1
9850 FOR N=205 TO 255
9855 PLOT PAPER 6,N,0: DRAW PAPER
6,X,Y
```

```
9860 LET X=X-1: LET Y=Y-1
9865 NEXT N: INVERSE 0
9870 INK 4: LET X=36: LET Y=36
9875 FOR N=17 TO 255
9880 PLOT N,0: DRAW X,Y
9885 LET X=X-1: LET Y=Y-1
9890 NEXT N
9895 INVERSE 1: LET X=26: LET Y=
26
9900 FOR N=229 TO 255
9905 PLOT PAPER 1,N,0: DRAW PAPER
1,X,Y
9910 LET X=X-1: LET Y=Y-1
9915 NEXT N: INVERSE 0
9920 INK P: LET X=14: LET Y=14
9925 FOR N=241 TO 255
9930 PLOT N,0: DRAW X,Y
9935 LET X=X-1: LET Y=Y-1
9940 NEXT N
9945 STOP
string array a$(2,4,6,)
string array b$(20,10,)
variable array a1$(3,)
variable a1$=1
variable a1$=10
variable a1$=1415927
variable a1$=22271
variable a1$=22185
for-next count h=3
string z$=""
END OF DUMP
```

## Colour Strips

by Stephen Mercer

## Vardump

### on Spectrum

Last week we inadvertently left out this program by D S Laurence.

```
9980 REM Vardump
9981 LET ZZZ=PEEK 23627+256*PEEK
23628
9982 LET ZZ=PEEK ZZZ
9983 IF ZZ=128 THEN PRINT "END OF
F DUMP": STOP
9984 IF ZZ=96 AND ZZ=127 THEN
LET ZZZ=ZZ+5: PRINT "Variable"
CHR$ ZZ: GO TO 9985
9985 IF ZZ=160 AND ZZ=191 THEN
PRINT "Variable" LET Z$=CHR$
ZZ-64: GO TO 9986
9986 IF ZZ=128 AND ZZ=189 THEN
PRINT "Variable array" CHR$ (ZZ
-32): FOR h=1 TO PEEK (ZZ+
3): PRINT PEEK (ZZ+2+2*h)+256*P
EEK (ZZ+2+2*h+3): NEXT h: PR
+1)+256*PEEK (ZZ+2) GO TO 9987
9987 IF ZZ=224 AND ZZ=255 THEN
LET ZZZ=ZZ+10: PRINT "for-next
count" CHR$ (ZZ-128): VAL
(CHR$ (ZZ-128)): GO TO 9987
9988 IF ZZ=64 AND ZZ=95 THEN L
ET ZZZ=ZZ+3: PEEK (ZZ+1)+256*P
EEK (ZZ+2): PRINT "string"
CHR$ (ZZ-32): VAL$ (CHR$
ZZ+32): VAL$ (CHR$
ZZ+32): VAL$ (CHR$
ZZ+32): GO TO 9988
9989 IF ZZ=192 AND ZZ=223 THEN
PRINT "string array" CHR$ (ZZ-6
4): FOR h=1 TO PEEK (ZZ+3)
: PRINT PEEK (ZZ+2+2*h):
NEXT h: PRINT "1: LET ZZZ=ZZ+3
PEEK (ZZ+2)+256*PEEK (ZZ+2):
GO TO 9989
9990 LET ZZZ=ZZ+1: IF PEEK ZZZ
=128 THEN LET Z$=CHR$ (PEEK Z
ZZ): GO TO 9990
9991 LET Z$=Z$+CHR$ (PEEK ZZZ-12
8): PRINT "1: VAL$ (Z$)
ZZ: LET Z$=Z$+CHR$ (PEEK ZZZ-12
8)
GO TO 9992
```

## Vardump

by D S Laurence



# FREE!

WHILE STOCKS LAST

## dBASE III

Relational database/programme generator  
package worth £385!!

WITH  
DOUBLE DENSITY

### OSBORNE 1

UNTIL FEBRUARY 16 ONLY AT

## £1,375 + VAT

PHONE YOUR ORDER NOW

**HURRY! HURRY! HURRY!**

## 4B microcentres

North Bar, Banbury, Oxon. OX16 0TF Telephone (0295) 66555

## 0295-66555

**FOR THE FIRST TIME  
ANYWHERE IN THE WORLD!**

## ASTROLOGY ON YOUR SINCLAIR ZX81 (16K) AND SPECTRUM

USER PROMPTING PROGRAMS: merely key in birth information as requested by the computer — READ OUT (and/or PRINT OUT) what is normally the result of many hours of painstakingly tedious and complex mathematical calculations using tables, ephemeris, etc.

Cassette I ZODIAC I ONLY £10.00  
makes truly AVAILABLE AT YOUR FINGERTIPS  
THE SIDEREAL TIME OF BIRTH.

THE ASCENDANT AND MIDHEAVEN in Sign, Degrees, Minutes, and Seconds for EQUAL HOUSE SYSTEM.

THE SIGNS AND POSITIONS OF THE HOUSE CUSPS in Sign, Degrees, and Minutes for the PLACIDEAN SYSTEM.

THE SUN AND MOON POSITIONS in Sign, Degrees, Minutes and Seconds.

ALL THE PLANETS POSITIONS in Sign, Degrees and Minutes.  
THE LUNAR NODE — THE PART OF FORTUNE — THE VERTEX, AND A HOST OF OTHER BIRTHCHART INFORMATION AT THE TOUCH OF A KEY.

Cassette II ZODIAC II ONLY £8.00  
GIVES YOU THE ASPECTS

Other programs in course of preparation include: PROGRESSING THE HOROSCOPE; RECTIFICATION OF THE BIRTH TIME, etc.

## STELLAR SERVICES

8 FIR TREE VALE, LEEDS LS17 7EY

Tel: (0532) 692770

## BUTTERCRAFT SOFTWARE

### QUALITY SPECTRUM SOFTWARE

LET **AUTO-SONICS** PUT EXCITING, COLOURFUL SOUND EFFECTS INTO YOUR PROGRAMS!

#### AUTOSONIC GIVES YOU


- 26 superb sound effects, including ten arcade-style space effects, Telephone, Police Siren, Monster Growl, Helicopter, Outboard, Geiger, Frog, Duck, Pig, etc, etc.
- An on-screen "synthesiser", control panel that lets you create thousands of your own unique sounds.
- Every sound you hear can be instantly added to your own program, completely independent of Autosonic. Cassette/instructions £4.99.

#### GULPMAN

Superb arcade-quality version of shh... you-know-what! Fast machine code... Full colour and sound... 15 mazes... 9 speeds... 9 grades... Hi-score, etc. ("An extraordinarily good programme — well worth the price," PCW Magazine.) Cassette with full-colour insert £5.95



7 Speeds... Laser Shield... Mother-ship Re-fuelling... Smart bombs... Hi-score... Sound... Hi-res colour graphics ("One of the best Sinclair games yet," YC). Only £4.50



Full machine code, Hi-res colour graphics... Sound... 8-direction controls... Missiles... Bombs... Fuel dumps... Meteors... Hi-score, etc. Super Arcade Action for only £4.95

AMPLIFY YOUR SPECTRUM (OR ANY COMPUTER) FOR ONLY



#### UNISONIC AMPLIFIER/AM RADIO

- \* Use cassette lead to connect to your computer for loud, clear amplification of all sound output
- \* Unplug lead and it's a neat pocket radio with smart wrist-strap. Uses one PP3 (not supplied)

TRS80 and Video Genie owners! Ask for our list of Guaranteed Quality Software, including new for '83 Frogger-Plus, only £4.99

14 WESTERN AVE., RIDDLESDEN(W), KEIGHLEY, YORKS, ENGLAND

Please Deduct 50p Discount second and subsequent orders

## SPECTRUM SOFTWARE

**IQ TEST.....£5.75**

How intelligent are you? 2 separate tests give an accurate assessment of your abilities

**THE JOKER.....£5.75**

Hundreds of rib tickling puns and jokes coupled with mind blowing graphics. Great for parties!!

Trade enquiries welcome: Orders despatched by return

PRICES INCLUDE POST & VAT. ALL PROGS 16 OR 48K.

## Flowchart LTD

PHONE  
(0933) 650073

DEPT 1  
62 HIGH STREET  
IRTHLINGBOROUGH  
NORTHANTS NN9 5TN







## Continued from page 17

```

239 INPUT A$
240 IF A$="2" THEN GOTO 300
241 IF A$="3" THEN GOTO 320
242 IF A$="4" THEN GOTO 340
243 IF A$="5" THEN GOTO 360
244 IF A$="6" THEN GOTO 380
245 IF A$="7" THEN GOTO 400
246 IF A$="8" THEN GOTO 420
247 IF A$="9" THEN GOTO 440
248 CLS
249 PRINT "MILLIMETRES TO INCHES"
250 INPUT B
251 PRINT "ENTER MILLIMETRES?"
252 INPUT B
253 PRINT AT 4,0,B
254 PRINT AT 4,8,B*0.0394
255 PRINT AT 16,1,"ENTER Q TO D"
256 MORE
257 PRINT AT 17,1,"ENTER H FOR MENU"
258 INPUT A$
259 IF A$="Q" THEN GOTO 200
260 IF A$="H" THEN GOTO 8
261 CLS
262 PRINT "METRES TO FEET"
263 INPUT B
264 PRINT "ENTER METRES?"
265 INPUT B
266 PRINT AT 4,0,B
267 PRINT AT 4,8,B*3.2808
268 PRINT AT 16,1,"ENTER Q TO D"
269 MORE
270 PRINT AT 17,1,"ENTER H FOR MENU"
271 INPUT A$
272 IF A$="Q" THEN GOTO 200
273 IF A$="H" THEN GOTO 8
274 CLS
275 PRINT "METRES TO YARDS"
276 INPUT B
277 PRINT "ENTER METRES?"
278 INPUT B
279 PRINT AT 4,0,B
280 PRINT AT 4,8,B*1.0936
281 PRINT AT 16,1,"ENTER Q TO D"
282 MORE
283 PRINT AT 17,1,"ENTER H FOR MENU"
284 INPUT A$
285 IF A$="Q" THEN GOTO 200
286 IF A$="H" THEN GOTO 8
287 CLS
288 PRINT "INCHES TO MILLIMETRE"
289 INPUT B
290 PRINT "ENTER INCHES?"
291 INPUT B
292 PRINT AT 4,0,B
293 PRINT AT 4,8,B*25.4
294 PRINT AT 16,1,"ENTER Q TO D"
295 MORE
296 PRINT AT 17,1,"ENTER H FOR MENU"
297 INPUT A$
298 IF A$="Q" THEN GOTO 200
299 IF A$="H" THEN GOTO 8
300 CLS
301 PRINT "FEET TO METRES"
302 INPUT B
303 PRINT "ENTER FEET?"
304 INPUT B
305 PRINT AT 4,0,B
306 PRINT AT 4,8,B*0.3048
307 PRINT AT 16,1,"ENTER Q TO D"
308 MORE
309 PRINT AT 17,1,"ENTER H FOR MENU"
310 INPUT A$
311 IF A$="Q" THEN GOTO 200
312 IF A$="H" THEN GOTO 8
313 CLS
314 PRINT "YARDS TO METRES"
315 INPUT B
316 PRINT "ENTER YARDS?"
317 INPUT B
318 PRINT AT 4,0,B
319 PRINT AT 4,8,B*0.9144
320 PRINT AT 16,1,"ENTER Q TO D"
321 MORE
322 PRINT AT 17,1,"ENTER H FOR MENU"
323 INPUT A$
324 IF A$="Q" THEN GOTO 200
325 IF A$="H" THEN GOTO 8
326 CLS
327 PRINT "KILOMETRES TO MILES"
328 INPUT B
329 PRINT "ENTER KILOMETRES"
330 INPUT B
331 PRINT AT 4,0,B
332 PRINT AT 4,8,B*0.6214
333 PRINT AT 16,1,"ENTER Q TO D"
334 MORE
335 PRINT AT 17,1,"ENTER H FOR MENU"
336 INPUT A$
337 IF A$="Q" THEN GOTO 200
338 IF A$="H" THEN GOTO 8
339 CLS
340 PRINT "MILES TO KILOMETRES"
341 INPUT B
342 PRINT "ENTER MILES?"
343 INPUT B
344 PRINT AT 4,0,B
345 PRINT AT 4,8,B*1.6093
346 PRINT AT 16,1,"ENTER Q TO D"
347 MORE
348 PRINT AT 17,1,"ENTER H FOR MENU"
349 INPUT A$
350 IF A$="Q" THEN GOTO 200
351 IF A$="H" THEN GOTO 8
352 CLS
353 PRINT "BRITISH EQUIVALENTS"
354 INPUT B
355 PRINT "1 IN = 2.54 CM"
356 PRINT "1 FT = 12 IN"
357 PRINT "1 YD = 3 FT"
358 PRINT "1 ROD = 5.5 YDS"
359 PRINT "1 CHAIN = 22 YDS"
360 PRINT "1 FURLONG = 220 YDS"
361 PRINT "1 MILE = 1760 YDS"
362 PRINT "1 NAUTICAL MILE = 1.8532 KM"
363 PRINT "ENTER C TO COPY"
364 PRINT "ENTER H FOR MENU"
365 INPUT A$
366 IF A$="C" THEN COPY
367 IF A$="H" THEN GOTO 8

```

Conversion  
by L Maudsley

## Break Key Disable

on ZX81

When using *Inkey\$* to input data in a program, if *Break* is pressed (eg by a computer-ignorant user), the program will break, which may cause chaos if the user continues to press keys. This Machine Code program prevents the *Break* functioning, while allowing the user to enter a space.

It also has other useful effects: The program replaces:

```

10 PAUSE 40000
20 LET A=CODE INKEY$

```

with:

```

10 LET A =USR 16514 (or whatever address it is stored at)

```

The advantages are that pressing *Break* returns "0", so it is mug-proof. It only uses one line of Basic to call it. It is flicker-free in use (unlike *Pause*) and it returns with the code of the key pressed, therefore:

```

10 PRINT CHR$(USR 16514 + 128)

```

will print the inverse of the key pressed.

The disadvantages are that it is slower(!)

than Basic and it only works in *Slow* if you wish to retain the display (unlike *Pause*).

When used in a long program, it is an advantage to:

```

10 LET K = 16514
50 PRINT USR K (or whatever)

```

Other uses are:

```

MENU....
20 GOTO (USR K - 28) * 1000
OR:
20 DIM A(10)
30 LET A(1) = 1210 (ie line no. of option "1")
40 LET A(2) = 2340 (option "2")
MENU....
50 GOTO A(USR K)

```

It uses 30 Bytes, and can be stored anywhere in Ram. If it is stored in a *Rem* statement at Line 1, then it is called by *USR 16514* (or *K = 16514*). Any suitable Machine Code loader may be used.

Break Key Disable  
by A S Thornton

## Machine Code Listing:

Decimal	Hex	Comment
205	CD	
187	BB	
2	02	Wait for key to be released
44	2C	
32	20	
250	FA	
205	CD	
187	BB	Wait for key to be pressed.
2	02	
68	44	Load BC with corresponding number.
77	4D	
81	51	
20	14	Find character corresponding to the number now in BC, and load its character code into HL.
40	28	
247	F7	
205	CD	
189	BD	
7	07	
78	4E	
6	06	
0	00	Load this number into BC, and push it onto the stack.
197	C5	
205	CD	
187	BB	
2	02	
44	2C	Wait again for key to be released
32	20	
250	FA	
193	C1	Pop BC, and return to Basic.
201	C9	

## Patterns

on Dragon

This is a program for drawing patterns of a regular nature on a Dragon 32. In its present listing it draws patterns in three colours on a buff background. However, it can easily be adapted to draw in a higher resolution, black lines on a buff background.

### Program notes

10 doubles the normal speed of the computer  
20-50 set up the screen and allocate values to the several variables in use.

70 plots the point on the screen  
80 changes the value of x and y by either 1 or -1  
90-100 check that the next point to be set lies within the parameters of the screen  
110 provides the opportunity to have another pattern without having to break out of the program. Pressing any key will automatically cause the program to start again.  
60 and 120 allow 10 points to be set without the colour altering, although the separate colours to be seen clearly.  
130 starts the cycle again, this time in a different colour.

The resolution and colours of the screen can be altered easily, for example to draw black on buff in high resolution, delete lines 50, 60 and 140 and change line 10 to pmode 4, line 70 — replace c with 5 and line 150 Goto 70.

```

10 Poke 65495,0
20 Pmode3:Screen1,1:Pcls
30 A=1:B=1
40 X=Rnd(256):Y=Rnd(192)
50 C=Rnd(3)+5
60 For Z=1to5
70 Pset(X,Y,C)
80 X=X+A:Y=Y+B
90 If X>255 or Y<1 Then A=-A
100 If Y>192 or Y<1 Then B=-B
110 If Inkey$="" Then Run
120 Next Z
130 Goto50

```

Patterns  
by Philip Magurn



## Number Puzzle

## on Spectrum

The object of this game is to rearrange the numbers in the grid back into their correct numerical sequence, reading either across or down. A score is kept of how many moves you make.

### Program notes

Lines	
5	Sets up colours (personal choice).
4000 to 4050	Instructions.
5000 to 6100	Draw Grid and set up start position. Because of the possibility of producing a random start position that could not be solved, I have created three start posi-

tions, stored in QS at lines 6000, 6050 and 6100. These positions were found by mixing up a completed grid, using legal moves. Then, reading left to right going down the grid, the numbers were recorded then stored in QS. QS may be changed, but only by a sequence found using the method described.

300 to 360	Generate the user definable characters (A,B,C,D). This is used every time a number is moved, as each number is regenerated before every move.
1000 to 1024	Restore <i>Data</i> to relevant position. Position depends on number to be moved.
1040 to 1070	Detect empty square.
1205 to 1380	Produce move. Blank out old position and reprint new position.
9000 to 9074	<i>Data</i> . To generate the 15 enlarged numbers.

8000 to 8020 End routine.

There are no mug traps in the move section of the program, so always move towards the blank square. Movement is via the curser keys.

The following DATA statements are not too clear on the printout:

```

016 DATA 24,24,24,24,24,24,24,24
026 DATA 1,3,6,12,24,24,27,31
027 DATA 128,0,0,0,0,224,240
028 DATA 24,24,24,24,24,24,15,7
029 DATA 24,24,24,24,24,24,240,224
031 DATA 31,31,0,0,0,1,1
032 DATA 248,248,24,48,96,192,128,126
034 DATA 128,128,128,128,128,128,128,128
061 DATA 48,48,112,112,1240,240,48,48
062 DATA 124,1254,131,131,3,3,7,62

```

PRESS: P-PRINT SCREEN; C-CONTINUE

YOUR  
MOVES  
SO FAR

5	15	11	4
10	1	8	7
14	6	3	12
2	9	13	

```

LS 5 INK 7: BORDER 1: PAPER 1: C
7 GO TO 4000
100 FOR P=4 TO 16 STEP 4
120 FOR D=9 TO 21 STEP 4
130 IF P=16 AND D=21 THEN GO TO 200
140 PRINT PAPER 1, AT P,D, " "
150 "REB AT P+1,0: C"
160 GO SUB 7000
180 NEXT D
200 NEXT P
220 "PRINT PAPER 1, AT P,0, " "
240 T=P+1: C=" "
260 GO TO 1000
280 NEXT C
300 GO TO 7010
320 FOR F=144 TO 147
340 IF F=144 THEN GO TO 7
360 READ Z
380 POKE USK UMS F+H,Z
400 NEXT F
420 NEXT F
440 NEXT F
1000 INPUT "THE NUMBER YOU WISH
TO MOVE, " WHEN COMPLETE ENTER
1005 IF X=0 THEN GO TO 5000
1010 IF X=1 THEN RESTORE 5000
1015 IF X=2 THEN RESTORE 5005
1020 IF X=3 THEN RESTORE 5010
1025 IF X=4 THEN RESTORE 5015
1030 IF X=5 THEN RESTORE 5020
1035 IF X=6 THEN RESTORE 5025
1040 IF X=7 THEN RESTORE 5030
1045 IF X=8 THEN RESTORE 5035
1050 IF X=9 THEN RESTORE 5040
1055 IF X=10 THEN RESTORE 5045
1060 IF X=11 THEN RESTORE 5050
1065 IF X=12 THEN RESTORE 5055
1070 IF X=13 THEN RESTORE 5060
1075 IF X=14 THEN RESTORE 5065
1080 IF X=15 THEN RESTORE 5070
1085 GO SUB 300
1090 IF P=16 THEN GO TO 100

```

```

1035 IF >29 THEN GO TO 1040
1036 GO TO 1080
1040 FOR P=4 TO 16 STEP 4
1041   FOR Q=2 TO 28 STEP 4
1050     IF SCREEN$(P,Q)=" " THEN G
1060     TO 1080
1070     NEXT Q
1080 NEXT P
1090 PRINT INK 7, AT 20,0; "INDIC
1100   YOURS USING THE CU
1110   RSE KEYS....."
1120 IF INKEY$="" THEN GO TO 1210
1300 IF INKEY$="5" THEN PRINT AT
1310   0,0; "AT P1;0,"; AT P,0
1320 IF INKEY$="6" THEN PRINT AT
1330   0,0; "AT P1;0,"; AT P,0
1340 IF INKEY$="7" THEN PRINT AT
1350   0,0; "AT P1;0,"; AT P,0
1360 IF INKEY$="8" THEN PRINT AT
1370   0,0; "AT P1;0,"; AT P,0
1380 PRINT AT 20,8;
1390 LET S=5+1: PRINT FLASH 1; AT
1400   13,15
1410 GO TO 1090
1420 PRINT AT 3,0; "THE OBJECT OF
1430   THIS EXERCISE IS TO RETURN THE
1440   CHECKER TO ITS ORIGINAL NUME
1450   RICAL NEATNESS ***** A SCOR
1460   E IS KEPT OF FOUR MOVES"
1470 GOTO 50

```

[illegible]

```

0010 DATA number 3
0011 DATA 15, 31, 16, 16, 0, 0, 0, 3
0012 DATA 24, 24, 24, 24, 24, 24, 24, 24
0013 DATA 240
0014 DATA 3, 0, 0, 0, 16, 16, 1, 15
0015 DATA 240, 56, 24, 24, 24, 24, 24, 24
0016 DATA number 4
0017 DATA 24, 24, 24, 24, 24, 24, 24, 24
0018 DATA 0, 0, 0, 0, 0, 0, 152, 192
0019 DATA 31, 31, 0, 0, 0, 0, 0, 0
0020 DATA 248, 248, 192, 192, 192, 192, 192, 192
0021 DATA number 5
0022 DATA 31, 31, 24, 24, 24, 24, 27, 31, 31
0023 DATA 248, 248, 0, 0, 0, 224, 240
0024 DATA 16, 0, 0, 0, 16, 24, 15, 7
0025 DATA 24, 24, 24, 24, 24, 24, 240, 240
0026 DATA number 6
0027 DATA 15, 0, 0, 0, 0, 0, 31, 31
0028 DATA 152, 0, 0, 0, 0, 0, 240, 240
0029 DATA 24, 24, 24, 24, 24, 24, 24, 24
0030 DATA 240
0031 DATA number 7
0032 DATA 31, 0, 0, 0, 0, 0, 1, 1
0033 DATA 24, 24, 0, 0, 0, 0, 192, 192
0034 DATA 16, 16, 16, 16, 16, 16, 15, 15

```

```

0055 DATA 15,31,24,24,24,24,25,1
0036 DATA 240,248,24,24,24,24,25,56
248
0036 DATA 15,26,24,24,24,24,31,1
0036 DATA 240,56,24,24,24,24,24,246
0040 DATA 15,31,24,24,24,24,24,24
0041 DATA 7,24,24,24,24,24,24,24
24
0043 DATA 15,7,0,0,0,0,0,0
0045 DATA 246,216,24,24,24,24,26,19
1,28
0045 DATA 45,45,112,112,240,240,
48,48
0047 DATA 60,126,195,195,195,195,195
0048 DATA 48,48,48,48,48,48,252,
252
0049 DATA 195,155,195,195,195,15
125,60
0050 DATA 45,45,112,112,240,240,
48,48
0052 DATA 45,45,112,112,240,240,
5,40
0053 DATA 48,48,48,48,48,48,252,
252
0054 DATA 48,48,48,48,48,48,252,
252
0055 DATA 45,45,112,112,240,240,
5,40
0057 DATA 55,124,196,131,3,3,3,3
0058 DATA 48,48,48,48,48,48,252,
252
0059 DATA 12,24,48,96,192,192,25
255
0060 DATA 45,45,112,112,240,240,
5,40
0061 DATA 45,45,112,112,240,240,
5,40
0062 DATA 124,254,131,131,3,3,7,
2
0063 DATA 48,48,48,48,48,48,252,
252
0064 DATA 52,7,3,3,131,131,254,1
254
0065 DATA 45,45,112,112,240,240,
5,40
0066 DATA 45,48,48,48,48,48,252,
252
0067 DATA 192,192,192,192,192,19
2,24,204
0068 DATA 48,48,48,48,48,48,252,
252
0069 DATA 255,255,12,12,12,12,12
12
0070 DATA 15,31,24,24,24,24,24,24
0071 DATA 48,48,112,112,240,240,
5,40
0072 DATA 255,255,192,192,192,19
2,252,254
0073 DATA 48,48,48,48,48,48,252,
252
0074 DATA 195,131,3,3,131,195,1,
1

```

YOUR  
MOVES  
SO FAR

129

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	

### Number Puzzle

by John Crawford



## Generator

on Vic

This program generates another program, which, when run, adds a new word to Basic. The new word is 'OLD' and its function is to recover a program which has been 'NEWED'. To achieve this just type OLD. (This program must be loaded first.)

The program listed is the Basic loader. When run, it checks the data and gives error reports providing that the line numbers and number of data elements per line are not changed (Rems may be left out). The program then automatically loads the machine code into memory. The machine code is then tagged on to the end of another program one third of the length of the loader.

Note that the loader is lost at this stage, and so must be saved first. Finally, save the program now in memory. This is the working copy. When run, this final program relocates the machine code to the top of available memory and lowers the pointers so no Basic program can touch it. It then breaks charget to set up the new keyword. The programs both adjust to run on any configuration of Vic20.

```
0 REM*****
2 REM# D. MCINTYRE. #
4 REM#13 KING STREET#
6 REM# KIRKCALDY. #
8 REM*****
10 FOR LP = 0 TO 284 STEP 15
20 FOR CT = 0 TO 14
30 READ A : POKE(6400+LP+CT),A : CHK = CHK + A
40 NEXT CT
50 READ SUM
60 IF SUM <> CHK THEN PRINT"DATA ERROR IN LINE"(LP/15)+90 : END
70 CHK = 0 : NEXT LP
80 PRINT"OLD PROGRAM NOW IN MEMORY"SYS6400
90 DATA 169,46,162,25,133,251,134,252,160,2,177,251,145,43,200,2150
100 DATA 200,249,165,44,133,46,165,43,105,233,144,2,230,46,133,1946
110 DATA 45,169,96,141,209,25,32,162,25,169,196,72,169,115,72,1697
120 DATA 76,96,198,10,0,150,40,194,40,52,52,41,172,50,53,1232
130 DATA 54,170,194,40,52,51,41,170,51,40,41,50,162,0,0,1132
```

```
140 DATA 0,165,55,56,233,148,176,2,190,56,133,55,165,44,133,1619
150 DATA 252,165,43,24,105,84,144,2,230,252,133,251,160,148,136,2129
160 DATA 8,177,251,145,55,40,200,247,169,32,133,117,165,55,133,1935
170 DATA 110,165,56,133,119,169,234,133,120,96,200,2,230,123,165,2071
180 DATA 50,201,255,240,1,96,173,0,2,201,79,200,248,173,1,1936
190 DATA 2,201,76,200,241,173,2,2,201,68,200,234,134,253,132,2135
200 DATA 254,165,43,133,251,165,44,133,252,160,3,200,177,251,240,2471
210 DATA 7,192,91,200,247,164,254,96,152,56,181,251,144,2,230,2195
220 DATA 252,133,251,160,0,165,251,145,43,165,252,200,145,43,160,2365
230 DATA 0,177,251,170,200,177,251,224,0,240,6,134,251,133,252,2466
240 DATA 200,230,201,0,200,246,165,251,24,105,2,144,2,230,252,2276
250 DATA 133,251,133,45,133,47,133,49,165,252,133,46,133,40,133,1834
260 DATA 50,165,55,133,51,165,56,133,52,166,253,164,254,169,2,1868
270 DATA 133,122,169,58,141,2,2,96,0,0,0,0,0,0,0,723
READY.
```

Generator  
by David McIntyre

## Mutant Wars

on BBC Micro

Mutant Wars is an arcade-type game which is fast, flicker-free and very addictive. The screen shows the players score and the number of waves encountered. The idea of the game is to stop the Mutants from reaching Earth by shooting them as they jump down through the atmospheric layers.

The controls are:

Z... Left  
X... Right  
SHIFT... Fire

The program runs so fast because of the speed of BBC Basic, the use of multi-statement lines and the use of the VDU

commands instead of Colour for example. The program takes up 5.5K in Mode 6 and will run on both models. I chose mode 6 because it allows user definable graphics with the minimum of memory loss.

The program works by scrolling 38 individual text windows, each containing a mutant. This is why it's so flicker-free.

A special feature of the BBC micro allows the player to fire whilst still moving. This is done in line 490, where -1 is the special number of the shift key.

### Program notes

Line  
90 Sets up the error trap.  
110 Moves the TV picture down one line.  
120 to 130 Change the repeat and delay on all keys for smooth movement.  
140 Stops editing cursor from spoiling display if cursor keys are depressed.

150 Change display to mode 6.  
170 Define envelope for mutants moving.  
180 Initialise most of variables.  
190 Remove cursor and define characters.  
210 Clears screen, prints title, changes foreground and background colours.  
220 to 250 Calls procedures to play game.

### List of procedures

PROC(TT) Used as time delay.  
PROCGAME Contains main loop and is used to call most of the other PROCs.  
PROCBASE Controls the movement of the laser base.  
PROCSPACE Rubs out laser base.  
PROCFIRE Displays bullet and checks for hit.  
PROCEND Called when player is invaded. This procedure also calls the invasion tune.  
PROCSTART Sets up new screen and increases the difficulty level.  
PROCTUNE Plays "Song Song blue" when invaded.  
PROCHIT Called when an alien is hit. Adds to the score and displays new score.

```
10 REM *****
20 REM # *
30 REM # MUTANT WARS #
40 REM # *
50 REM # by A.HYNES #
60 REM # *
70 REM *****
80 REM
90 ON ERROR GOTO 580
100 REM
110 #TV 255,0
120 #FX 12,1
130 #FX 11,1
140 #FX 4,1
150 MODE 6
160 REM
170 ENVELOPE 1,1,-26,-36,-45,255,255,255,127,0,0,0,126,0
180 DIM SX(39):DIF=6:BX=20:BY=24:BX1=20:SCORE=0:B=0:WAVE=0:S$=STRING$(40," ")
190 VDU 23:8202:0:0:0:23,255,195,36,126,219,126,195,126,165,23,225,90,60,231,36,
126,90,66,231
200 REM
210 PRINT TAB(8,11);"HERE COME THE MUTANTS":PROC(300):VDU 12,19,1,4,0,0,0,19,0,
7,0,0,0
```

PROGRAM OF THE WEEK



```

220 SOUND 1,1,1,1
230 PROCSTART
240 PROCGAME
250 GOTO 230
260 END
270 REM
280 DEFPROC(T):TIME=0:REPEAT UNTIL TIME>T:ENDPROC
290 REM
300 DEFPROCGAME:KILL=0
310 FOR X=1 TO 38
320 IF SX(X+1)=0 AND (X/3)=INT(X/3):PROCBASE:GOTO 390
330 IF SX(X+1)=0 GOTO 400
340 PROCBASE
350 IF B=1 THEN PROCFIRE
360 IF RND(1)>.85 THEN 390
370 PROCT(10-DIF)
380 VDU 28,X,23,X,1,30,11,26: SX(X+1)=SX(X+1)+1: IF SX(X+1)=23 THEN PROCEND
390 IF BX1<>BX:PROCSpace
400 IF B=1 THEN PROCFIRE
410 NEXT
420 IF KILL>=38 THEN 440
430 X=38:GOTO 310
440 ENDPROC
450 REM
460 DEFPROCBASE:FX 15,1
470 PRINT TAB(BX,BY):CHR$(225);
480 RESP=INKEY$(5)
490 IF INKEY(-1)=-1 AND B=0:BLX=BX:BLY=BY:B=1:SOUND 3,-15,200,3
500 IF RESP="Z" THEN BX=BX-1: IF BX<1 THEN BX=1
510 IF RESP="X" THEN BX=BX+1: IF BX>38 THEN BX=38
520 ENDPROC
530 REM
540 DEFPROCSpace
550 PRINT TAB(BX1,BY): " ";
560 BX1=BX:ENDPROC
570 REM
580 MODE 7: IF ERR<>17:REPORT:PRINT " at line ";ERL
590 *FX 12,0
600 *FX 4,0
610 SOUND 1,0,0,1:END
620 REM
630 DEFPROCEND:PRINT TAB(0,10);S$;TAB(0,11);S$;TAB(0,12);S$;TAB(15,11);"GAME OVE
R"
640 SOUND 0,-15,60,10:SOUND 1,0,0,1:PROCT(40):PROCTUNE
650 PROCT(250):VDU28,0,24,39,1,12,20:PRINT TAB(8,10);"Press SPACE bar to play":*
FX 15,0
660 REPEAT UNTIL GET$=""
670 RUN
680 REM
690 DEFPROCFIRE:VDU 28,BLX,23,BLX,BLY-1,12,26:BLY=BLY-1:PRINT TAB(BLX,BLY);"!";
700 IF SX(BLX+1)>BLY:PROCHIT:GOTO 720
710 IF BLY<3:VDU 28,BLX,23,BLX,2,12,26: SX(BLX+1)=0:B=0
720 ENDPROC
730 REM
740 DEFPROCSTART
750 WAVE=WAVE+1:DIF=DIF+2: IF DIF>16 THEN DIF=16
760 FOR X=1 TO 38:Y=RND(DIF)+2: SX(X+1)=Y:PRINT TAB(X,Y):CHR$(255):NEXT
770 VDU 17,129,17,0:PRINT TAB(0,0);S$;TAB(2,0);"SCORE ";SCORE:TAB(29,0);"WAVE ";
WAVE:VDU 17,1,17,128
780 ENDPROC
790 REM
800 DATA 69,24,53,24,81,24,73,6,69,2,61,6,53,2,61,8,81,24
810 REM
820 DEFPROCTUNE
830 FOR S=1 TO 9:READ F,E
840 SOUND 2,-15,F,E:SOUND 2,0,0,2:NEXT
850 ENDPROC
860 REM
870 DEFPROCHIT
880 SCORE=SCORE+10:VDU 28,BLX,23,BLX,2,12,26,17,0,17,129:PRINT TAB(8,0);SCORE
890 SX(BLX+1)=0:VDU 17,1,17,128:B=0:SOUND 0,-15,60,2:KILL=KILL+1
900 ENDPROC

```

**Mutant Wars**  
by Alan Hynes

## Battlestar

### Preliminary Results

The first phase of **Battlestar**, *Popular Computing Weekly's* unique, computer moderated, play-by-mail, space adventure game, has now closed. The names of the 245 players winning through are now being sorted. They will all shortly receive a voucher giving them £10 off a ZX Printer.

Most of you had little difficulty in answering the questions correctly. For the few who got some of them wrong, here are the answers:

- 1) Harrison Ford played Han Solo in *Star Wars* and Deakard in *Blade Runner*.
- 2) *The Empire Strikes Back* was the sequel to *Star Wars*.
- 3) In the film *Tron* the letters MCP stood for **Master Control Program**.
- 4) The two robots in *Star Wars* were called **R2D2** and **C3PO**.
- 5) *ET* was trying to 'phone home.

More news on **Battlestar** next week, as the first round in space begins.

### The Cruising Competition

£10 is the prize each month for the highest score on Cruising, the new machine code game from Solarsoft for the ZX Spectrum.

The entries for each month should arrive at the *Popular Computing Weekly* offices at least five working days before the end of the month. Entries for March, therefore, should arrive here by 22 February.

Each entry should be accompanied by a print-out of the high score, using the special printer routine and code number generated by each game. No High Score can win more than once.

To give you something to aim for, here are our best scores so far:

- 1) Duncan Scot 2264
- 2) Brendon Gore 1800
- 3) David Kelly 246



# Two aspects of coding

Geoff Wilkins shows two machine-code routines for the Spectrum

Here are two short machine-code routines for the Spectrum that do nothing useful at all except to demonstrate some essential aspects of coding the machine. These are: reading the keyboard, printing on the screen, controlling the colours (by two different methods), coding the user-defined characters, and moving the print-position — with particular regard to differences between the Spectrum and the ZX80/81.

The first routine can easily be loaded to addresses 32256 to 32310 with the following Basic loader-program:

```
10 CLEAR 32255
20 FOR A=32256 TO 32310
30 READ N: POKE A,N
40 NEXT A
50 DATA 205,36,126,135,135,135
50,143,92,6,32,62,215,16,251,
205,36,126,79,58,143,92,129,50,
143,92,6,8,62,217,215,16,251,24,
220
60 DATA 151,50,8,92,58,8,92,254,
0,40,249,214,48,167,254,8,48,238,
201
```

If you've already got your own hex-loader for the Spectrum, the hex-code is:

```
7E00 CD247E
7E03 87
7E04 87
7E05 87
7E06 32B5FC
7E09 0620
7E0B 3E20
7E0D 07
7E0E 10FB
7E10 CD247E
7E13 4F
7E14 3A8F5C
7E17 81
7E18 32B5FC
7E1B 0608
7E1D 3ED9
7E1F D7
7E20 10FB
7E22 18DC
7E24 97
7E25 32085C
7E28 3A085C
7E2B FE00
7E2D 28F9
7E2F D630
7E31 A7
7E32 FE08
7E34 30EE
7E36 C9
```

Once you've loaded the code, enter the command NEW, and then the line PRINTUSR 32256

Run this, and you should confront a blank screen. Nothing will happen unless you press one of the numeral-keys 0-7. The first such key you press will produce a line of spaces in the appropriate Paper colour on the screen; the next will produce a line with the same Paper colour, but with the word *Ink* printed eight times in the new key's Ink colour. The next key will produce a line in a new Paper colour; and so on.

This is a disassembled listing of the program:

Address	Instruction
32256	CALL 32292
32259	ADD A,A
32260	ADD A,A
32261	ADD A,A
32262	LD (23695),A
32265	LD B,32
32267	LD A,32
32269	RST16
32270	DJNZ —5
32272	CALL 32292
32275	LD C,A
32276	LD (23695)
32279	ADD A,C
LD (23695),A	
32283	LD B,8
32285	LD A,217
32287	RST16
32288	DJNZ —5
32290	JR —36
32292	SUB A,A
32293	LD (23560),A
32296	LD A,(23560)
32299	CP 0
32301	JR Z —7
32303	SUB A,48
32305	AND A
32306	CP 8
32308	JR NC —18
32310	RET

The program starts by calling a sub-routine at address 32292. This is a Keyboard Read routine. It uses the system variable *Last K*, at address 23560, which stores the code of the last-pressed key. The sub-routine Pokes zero into this address — the Spectrum has no character for code zero — and then goes into a loop which only breaks when *Last K* gets a value other than zero.

When such a value has been found, addresses 32303 to 32309 subtract 48 from *Last K* — 48 being the difference between 0-7 and Code "0"—Code "7". If the result is more than 7 — ie if any key had been pressed other than the numeral-keys 0-7 — the sub-routine jumps back to its start; otherwise, it returns to the main routine, with a value 0-7 in the A-register.

The principle of this use of the system

variable *Last K* can be used in any routine that needs to read the keyboard and transfer information from keys pressed into a register — this, of course, is the machine-code equivalent of *Inkeys* in Basic. (The *Inkeys* function is in fact easier to reproduce in machine code than the *Input* function.)

The next addresses, 32259 to 32264, multiply the A-register value by 8, and load the result into address 23695. This is the system variable *Attr T*, storing values for "temporary current colours".

Both this system variable and the system variable *Attr P* for "permanent current colours", at address 23693, store values for colours in the same way: bit 7 stores 0 or 1 for *Flash*; bit 6 stores 0 or 1 for *Bright*; bits 5 to 3 store 0-7 for *Paper*; and bits 2 to 0 store 0-7 for *Ink*.


Thus by multiplying the A-register value by 8 and then poking it into *Attr T* we are altering the temporary *Paper* colour according to the value 0-7 in the A-register.

Addresses 32265 to 32271 print a space (code 32) of *Paper* colour 32 times. As the manual tells us, because of the Spectrum's more complex display-file, one cannot poke directly on to the screen as easily as with the ZX80/81. Fortunately, the machine-code instruction "Rst16" works just as well on the Spectrum, printing the character whose code is in the A-register at the next print-position.

Addresses 32272 to 32282 call the Keyboard Read sub-routine again, and then add the returned A-register value 0-7 unmodified to the value in the *Attr T* system variable. This has the effect of changing the temporary *Ink* colour while leaving the *Paper* colour unchanged.

Addresses 32283 to 32289 print the character with code 217 — *Ink* — eight times across the screen in the new *Ink* colour on the unchanged *Paper* colour.

Finally, addresses 32290 to 32291 jump





back to the start of the routine. The program will continue, with no chance of breaking out, until you fill the screen and elicit the "scroll?" query. In the present program, pressing the "N"-key at this point is a handy way of getting back to Basic. But often, in both Basic and machine-code programs, the "scroll?" is just a nuisance. You can get rid of it in machine-code, as in Basic, by poking the system variable at address 23692. In the present program, simply replace.

```

32310 201 RET
by
32310 245 PUSH AF
32311 62 LD A,255
255
32313 50 LD (23692),A
140
92
32316 241 POP AF
32317 201 RET
(Hex-code is:
7E36 F5
7E37 3EFF
7E39 328C5C
7E3C F1
7E3D C9.)

```

This will get rid of "scroll?"; but now, the only way of stopping the program is by pulling out the plug. Of course, using the *Keyboard Read* sub-routine, it would be easy to include a means of breaking out within the routine — e.g. by pressing the space-key.

What happens if we change our Basic line  
 10 PRINT USR 32256  
 to  
 10 RANDOMIZE USR 32256

On the ZX80/81 that would make no difference to the program like this. It does not of itself return to Basic; but with the Spectrum you'll find that the colour-lines print upwards from the bottom two lines of the screen, and soon produce an "Out of screen" error-report.

*Print Usr* works perfectly well with the present program; but sometimes you won't want to use it because, on return to Basic, it will print the value of the BC-register to the screen. You can get round this problem by using

```

PRINT:: RANDOMIZE USR (address)
PRINT:: LET A=USR (address)
and so on.

```

The second routine might be the start of a machine-code "Space Invaders" program. You can use the same loader-program as before, changing line 20 to 20 FOR A=32256 TO 32326 and changing the DATA-lines to

```

50 DATA 195,36,60,90,126,24,24,102,
0,0,8,8,28,62,127,127
60 DATA 1,16,0,33,0,126,17,88,127,
237,176
70 DATA 62,16,215,62,2,215,62,22,
215,62,10,215,62,0,215
80 DATA 6,16,62,144,215,62,32,215,
16,248,62,16,215,62,1,215,62,22,215,
62,21,215,62,9,215,62,145,215,201

```

Here's the hex-code listing:

```

7E00 C3243C
7E03 5A
7E04 7E
7E05 1818
7E07 66
7E08 00

```

```

7E09 00
7E0A 08
7E0B 08
7E0C 1C
7E0D 3E7F
7E0F 7F
7E10 011000
7E13 21007E
7E16 11587F
7E19 EDB0
7E1B 3E10
7E1D 07
7E1E 3E02
7E20 07
7E21 3E16
7E23 07
7E24 3E0A
7E26 07
7E27 3E00
7E29 07
7E2A 0610
7E2C 3E90
7E2E 07
7E2F 3E20
7E31 07
7E32 10F8
7E34 3E10
7E36 07
7E37 3E01
7E39 07
7E3A 3E16
7E3C 07
7E3D 3E15
7E3F 07
7E40 3E09
7E42 07
7E43 3E91
7E45 07
7E46 C9

```



Here's the routine disassembled from address 32272; this is because the first 16 addresses, 32256—32271, hold data for the user-defined graphics, and would be meaningless disassembled:

```

32272 LD BC,16
32275 LD HL,32256
32278 LD ,32600
32281 LDIR
32283 LD A,16
32285 RST 16
32286 LD A,2
32288 RST 16
32289 LD A,22
32291 RST 16
32292 LD A,10
32294 RST 16
32295 LD A,0
32297 RST 16
32298 LD B,16
32300 LD A,144
32302 RST 16
32303 LD A,32
32305 RST 16
32306 DJNZ —8
32308 LD A,16
32310 RST 16
32311 LD A,1
32313 RST 16
32314 LD A,22
32316 RST 16
32317 LD A,21
32319 RST 16
32320 LD A,9
32322 RST 16

```



```

32323 LD A,145
32325 RST 16
32326 RET

```

You can run this with the command

CLS : PRINT:: RANDOMIZE USR 32272

This should produce a row of red space-invaders about halfway down the screen, and a blue defender at the bottom.

Addresses 32272—32281 *Poke* the data from the routine's first 16 addresses into the first 16 addresses of the Spectrum's user-defined graphics, 32600—32615. (Note: these latter addresses apply only to the 16K Spectrum; on the 48K model the user-defined graphics start at address 65368 — so you need to change address 32280 in the routine to 255 instead of 127 (hex address 7E18 to FF instead of 7F).) This data is, of course, for the space-invader and the defender.

The rest of the routine is almost entirely taken up with instructions to load the A-register with different values and then print by the instruction "RST 16". However, these instructions don't just print characters on the screen — they also serve to alter the colours and the print-position. If you look in chapters 15 and 16 of the Spectrum manual, you'll see that characters 6 to 23 of the character set can be printed in various combinations and with numeral-characters to alter the print-position, colour, brightness, flash etc. The good news is that you can do the same in machine-code — which is quite a substantial compensation for the difficulties in poking directly into the Spectrum's display-file.

I'll leave it to you to work out, by referring to the manual's chapters, how the different machine-code instructions in the routine alter colour and print-position, and to experiment with the many other possibilities. (My routine could have been much more neatly written by putting the characters to be printed into a data-list; I'll leave you to try that as well.) If you go further and use the *Keyboard Read* sub-routine from the first routine, you can think about moving characters both on their own and via the keyboard — and then you're well on your way to a genuine "Space Invaders" program!

Finally, as a pendant to my piece on redefining the Spectrum keyboard in *PCW* no. 24 (30 September 1980), here's a little novelty that produces an "Australian Keyboard":

```

10 CLEAR 31743
20 FOR A=15616 TO 16383 STEP 8
30 FOR N=0 TO 7
40 POKE A+16128+N,PEEK (A+8-N)
50 NEXT N: NEXT A: POKE 23607,123

```



# FOX ELECTRONICS

PRODUCTS FOR VIC20  
AND ZX81



**ZX81 USERS**  
**THE ZX-PANDA**  
UNIQUELY EXPANDABLE  
16K RAM PACK

EXPANDABLE INTERNALLY  
BY PLUG-IN MODULE  
TO FULL 32K  
ATTRACTIVE CUSTOM  
MADE CASE CONTOURED  
TO REAR OF ZX81 FOR  
MAXIMUM STABILITY  
COMPACT SIZE  
LED POWER INDICATOR  
COMPATIBLE WITH MOST  
EXPANSION SYSTEMS

ZX-Panda 16K Expandable Ram £25.00  
ZX-Panda 16K Expansion Module £19.95  
Or full 32K Expanded £39.95

Send now to:  
**FOX ELECTRONICS**  
141 ABBEY ROAD  
POPLEY 4  
BASINGSTOKE  
HANTS

ALL PRICES INCLUSIVE OF VAT, PACKING AND POST  
PLEASE ALLOW 21 DAYS FOR DELIVERY

## VIC20

**OWNERS**  
Fully Assembled,  
Cased and Guaranteed

**MASSIVE 16K  
RAM MEMORY  
EXPANSION**

PLUGS DIRECTLY INTO  
YOUR VIC20 OR  
MOTHERBOARD

**£44.00**

PLEASE SEND ME.....

.....

I enclose £.....

NAME .....

ADDRESS .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

# SOFTWARE LIBRARY

FOR

**SPECTRUM, SHARP MZ-80K  
MZ-80A**

Low-cost weekly hire of Games, Languages, Utilities and Educational Programs.

We have a large selection of software with full software reviews in our FREE comprehensive catalogue.

- Membership only £6 for 12 months.
- Program hiring from only 50p (plus 25p p&p).
- New titles constantly being added.
- Return of post service.

Join today by clipping the coupon below or send for your free catalogue and see for yourself our fantastic range of software.

☐ YES, please send me my free catalogue and selection sheet. I enclose my £6 cheque/Postal Order.

☐ I enclose a 22p stamp, please rush me your free catalogue. My Computer is ☐ Spectrum, ☐ Sharp MZ-80K, ☐ MZ-80A.

NAME .....

ADDRESS .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



\*SPECTRUM MONITOR  
\*SPECTRUM EDITOR/  
ASSEMBLER  
\*ZX81 SCREEN KIT 1  
\*ZX81 ZX-MC \*ZX81 REMLOAD

**FAST MAIL ORDER-SEND TODAY!**

**SPECTRUM MONITOR.** Machine code Debug/Disassembler  
• Enter, Run, Debug machine code programs. • Compatible with Basic • Breakpoints and Registers Display • Disassembly to screen and/or ZX Printer • 16K and 48K versions on one cassette + 30 page manual. **£7.50**

**SPECTRUM EDITOR/ASSEMBLER.** A powerful and essential machine code programming aid.  
16K & 48K on same cassette with full documentation. Major features include:  
EDITOR with Auto Line Numbering, 40 Column screen display, tabulated into fields for easy reading, 5 character Label Names, simple Line Editing and Cursor Control.

**SAVE/LOAD Text Buffer** to cassette, output to ZX PRINTER  
**TWO-PASS ASSEMBLER** accepts all 280 mnemonics (plus many unpublished mnemonics) Decimal or Hex numbers, simple arithmetic on operands. Assembler Directives — ORG, END, DEFB, DEFW, DEFBL, EQU, DEFMA

**WE CANNOT FULLY DESCRIBE THIS IMPORTANT UTILITY HERE. AND ASK YOU TO SEND A S.A.E. FOR COMPLETE DETAILS OF THIS AND ALL OUR PROGRAMS. £8.50**

**ZX81 SCREEN KIT 1.** More power to your screen in all your Basic programs.  
BORDERS any size, anywhere on screen. SCROLL in all 4 directions. CLEAR and REVERSE PART OF SCREEN. FLASHING CURSOR anywhere on screen — simulates INPUT DATA FILES SAVE AND LOAD Basic variables: Double Speed, 880 bytes machine code for INSTANT RESPONSE. Becomes part of Basic Program. **£5.70** 4K to 64K

**ZX81 ZX-MC.** Machine Code Debug/Monitor  
• ENTER, RUN, DEBUG machine code programs • SAVE, LOAD, VERIFY at double speed • BREAKPOINTS and REGISTERS DISPLAY • Self contained — cannot be used with Basic • Cassette plus 36 page manual. **£7.50** 4K to 64K

**ZX81 REMLOAD.** Machine Code Debug/Monitor  
• A version of ZX-MC without the Save/Load/Verify facility • Compatible with Basic • CREATE A REM LINE of any length • BREAKPOINTS and REGISTERS DISPLAY • Cassette plus 30 page manual. **£6.95** 16K to 64K

**SEND S.A.E. NOW FOR DETAILS**  
6 Corkscrew Hill, West Wickham,  
Kent BR4 9BB.

Prices include VAT & P&P

PICTURESQUE  
PICTURESQUE  
PICTURESQUE  
PICTURESQUE



## PIMANIA

THE ADVENTURE GAME THAT'S FOR REAL! £6,000 PRIZE!

Will you be the first to locate the Golden Sundial of Pimania and time and be rewarded with the original? Exquisitely crafted by the winner of the De Beers Diamond International Award, from gold, diamond and the most precious of the earth's riches.

PIMANIA... where saxophones turn into humpsters, where music meets madness and where the Pi Man rules supreme! He'll talk with you, he'll befriended you, he'll betray you, he'll even do the Hocky Kokey! Animated cartoon graphics! Full musical score! Spectacular colour and sound effects! Includes free hit single "Pimania", with vocals by Clair Sinclair and the Pi Men!

It could take you a week to play, it could take you a lifetime! PIMANIA, the best evidence that computer gaming has come of age... an adventure enthusiast's dream! (Computer & Video Games)

**48K SPECTRUM' £10**  
**16K ZX81 £5**  
**DRAGON 32' £10**  
**BBC Model B' £10**

AUTOMATA Ltd. (P)  
65a Osborne Road  
Portsmouth PO5 3LR  
England





# Specifying corners

David Lawrence continues his commentary on lines 2060-2180 of Module 5 of his Characters program.

On calling up this section by the use of the 'M' key in the previous module, the user is asked to specify a corner. If corner four is specified, then a rectangle is defined with two opposite corners consisting of grid corner 1 (the corner opposite four) and the current position of the cursor. This rectangle is then moved so that the corner defined by the cursor is relocated in grid corner 4. This may sound complex but a little experimentation will show that it is in fact a neat and simple means of moving the contents of the grid around. It is important to remember that if the design is to be moved down two lines, the bottom two lines of the design will be lost and similarly for moves in other directions.

2070 This line draws a large "M" next to the grid to show that the move function has been called — it seemed like a good idea at the time. The empty loop in this line serves the important function of separating the input named T\$ in the previous module and one called T1\$ which is about to be called for. Without this delaying loop there is a danger that if the user's finger lingers on the 'M' key when calling up this function, the *Inkeys* function at line 2090 will define T1\$ as 'M' too. This delay is necessary whenever using a succession of *Inkeys* inputs.

2080 MX and MY are the variables which will be used to record the distance the defined rectangle must be moved. X1, Y1, X2 and Y2 will record the opposite corners of the defined rectangle.

2100-2130 These variables are set according to the corner specified as the destination of the move and the current position of the cursor. Again for no particular reason, the number of the corner chosen as a destination is drawn next to the grid.

2140 If an erroneous input is made when the program is expecting a corner to be specified, the "M" is erased and control is returned to Module 4.

2150-2170 Having established the size of the rectangle to be moved and the amount of movement necessary, these values are divided by four so that they can be applied to the array A and the transformation accomplished in transferring the contents to the array B.

## Testing

The three functions specified in the commentary should now be available.

## Module 6: Lines 3000-3300

Having established the functions necessary to define and manipulate a character on the grid, we come to the heart of the program, the module which takes the design which the user has created and

transforms it into a string which, when DRAWn, will reproduce the desired character or design.

## Commentary

3030 Since elements in the design will be erased from the array as they are incorporated into the string, the process is actually carried out on a copy of the main array.

3040 The letters contained in DI\$ are the eight directions which can be handled by the *Draw* command. E\$ will contain the string defining the design or character.

3050 X and Y are used to register co-ordinates on the grid. D1 and D2 are used to record the vertical and horizontal elements of the direction in which a line is currently being *Drawn*.

3060 and 3250 The loop defined by these two lines scans through the grid, ignoring empty squares.

3070-3120 For reasons that will be seen later, the fact that program execution has arrived at this point shows that the square currently defined by I and J is inked in but that it does not follow on in a continuous line from any part of the design previously recorded in E\$. The location of the square is therefore recorded in the form of a B(lank) M(ove) within the string. The first square to be recorded in this fashion will always be the top left-hand square in the design and its position will be defined in relation to the top left-hand corner. Other squares to be recorded in the BM format will be defined in relation to wherever *Drawing* last left off. The drawing position is updated to the current square and the square is erased so that it cannot figure twice in the design.

3130 If the element at Y+D1,X+D2 is not zero, then since D1 and D2 contain the direction in which a line is currently being drawn, the loop examining surrounding

squares is jumped around.

3140-3170 If a current direction cannot be continued, this loop examines surrounding squares to see if there is any direction in which *Drawing* may continue. If no such continuation is found then to E\$ is added the direction and length of the line which has been traced in the design.

3190-3200 If it is possible to draw from the current square, the direction is checked to see if it is the direction of a line currently being drawn, if so the variable NN is incremented. If it is a new direction, the direction and length of the previously traced line are added to E\$. The value attached to any particular direction is calculated by the formula at line 3190 and this value corresponds to the position of the relevant letter in DI\$ (defined at line 3040). It may be worth noting in passing that this formula can come in useful in a variety of circumstances where a direction on a rectangular grid requires to be recorded. The values which the line will produce for the eight possible directions are as follows:

```
1 2 3
4 * 5
6 7 8
```

Compare this with the letters specified in DI\$ and you will see why they are arranged as they are. The variables D1 and D2 are vertical and horizontal elements of the direction and range between -1 and +1.


3260 This line simply ensures that any *Drawing* left unfinished at the end of the loop is completed.

*The Working Dragon 32*, by David Lawrence, costs £5.95 and is available from *Sunshine Books Ltd.*, Hobhouse Court, 19 Whitcomb Street, London WC2 7HF.

## Module 6

```
3000 REM*****
3010 REM EXTRACT STRING
3020 REM*****
3030 FOR I=0 TO 31:FOR J=0 TO 31:LET B(I,J)=A(I,J):NEXT J,I
3040 LET DI$="HUELROF":LET E$=""
3050 LET X=0:LET Y=0:LET D1=0:LET D2=0:LET DIR=0
3060 FOR I=0 TO 31:FOR J=0 TO 31:IF B(I,J)=0 THEN GOTO 3250
3070 LET E$=E$+"BM":IF X<0 THEN LET E$=E$+"-" ELSE LET
E$=E$+" "
3080 LET E$=E$+MID$(STR$(ABS(X)),2)+",",
3090 IF I=Y THEN LET E$=E$+"X" ELSE LET E$=E$+"-"
3100 LET E$=E$+MID$(STR$(ABS(I-Y)),2)+",",R0:"
3110 LET X=J:LET Y=I
3120 LET B(X,Y)=0
3130 IF Y+D1=0 AND Y+D1<31 AND X+D2=0 AND X+D2<31 THEN
IF B(Y+D1,X+D2)<>0 THEN GOTO 3190
3140 FOR K=-1 TO 1:FOR L=-1 TO 1
3150 IF X+L<31 OR X+L<0 OR Y+K<31 OR Y+K<0 THEN GOTO 3170
3160 IF B(Y+K,X+L)<>0 THEN LET D1=K:LET D2=L:GOTO 3190
3170 NEXT L,K:IF DIR<>0 THEN LET E$=E$+MID$(DI$,DIR,1)+MID$
(STR$(NN+1),2)+",",
3180 LET DIR=0:LET D1=0:LET D2=0:LET NN=0:GOTO 3250
3190 LET T1=3*(D1+1)+D2+2:IF T1>4 THEN LET T1=T1-1
3200 IF T1=DIR THEN LET NN=NN+1
3210 IF T1<>DIR AND DIR<>0 THEN LET E$=E$+MID$(DI$,DIR,1)+
MID$(STR$(NN+1),2)+",",LET NN=0
3220 LET DIR=T1
3230 LET X=X+D2:LET Y=Y+D1
3240 GOTO 3120
3250 NEXT J,I
3260 IF NN<>0 AND DIR<>0 THEN LET E$=E$+MID$(DI$,DIR,1)+MID$
(STR$(NN+1),2)
3270 DRAW "S8;C3;BM150.60;"+E$
3280 IF INKEY$="" THEN GOTO 3280
3290 FOR I=0 TO 63:DRAW "C2;BM150."+STR$(60+I)+";R64":NEXT I
3300 LET X=0:LET Y=0:DRAW "S4":RETURN
```





### The Working Spectrum

(228 page book)  
The first well-documented collection of serious programs for the ZX Spectrum. Programs include a Basic Renumber which can handle Gotos and Gosubs, a character dictionary, a file-handler, several utility programs and a few games. Each program is built up out of re-usable subroutines.

**£5.95\***



### The Working Dragon 32

This is a companion volume to The Working Spectrum and includes several new features such as a Text Editor and a Music Composer and Editor. Other programs help you use the Dragon 32 as an accountant, for more advanced high resolution graphics, as a home tutor for education and for playing games. Each of the programs and subroutines is explained line by line to help develop your own programming skills.


**£5.95\***



### Best of Popular Computing Weekly

Cassette  
Four of the top Spectrum and ZX81 games from Popular Computing Weekly are recorded on this one cassette. The games are Laserchase for the 16K & 48K Spectrum, Kong's Revenge for the 16K & 48K Spectrum, Robot Control for the 16K ZX81 and Alien Attack, a Space Invaders type game for the 1K ZX81.

**£4.45**



### Cruising (on Broadway)

cassette  
Play Cruising, a new, fast, machine code game of skill for the 16K or 48K ZX Spectrum computer. You won't be able to beat it — the more you practice the faster it gets. Cash prizes are being offered for the highest recorded scores. See Popular Computing Weekly every Thursday for details.

**£4.95\***

Please send me

Qty:

- ☐ The Working Spectrum at £5.95 each
- ☐ The Working Dragon 32 at £5.95 each
- ☐ Best of Popular Computing Weekly at £4.45 each
- ☐ Cruising (on Broadway) at £4.95 each

☐ I enclose a cheque/ postal order for

☐ £ payable to

**Sunshine Books Ltd.**  
19 Whitcomb Street,  
London WC2 7HF

Name

Address

☐ Signed

☐ We can normally deliver in four to five days.

\*Available from W. H. Smith's and computer dealers.

## A New Range From Sunshine Books Ltd

### MICROS NOW IN STOCK

**BBC**  
MODEL B

&   
**DRAGON 32K**

FROGGER  
PLANES  
SPACE KINGDOM  
GLAVIANS

GOLF  
ALCATRAZ II  
PLANET INVASION  
STARTREK

A VAST SELECTION OF CASSETTES,  
CARTRIDGES AND JOYSTICKS FOR  
BOTH COMPUTERS . . .  
. . . AND PRINTERS from **£235**



**STATACOM LTD, 234 HIGH STREET  
SUTTON, SURREY SM1 1NX  
01-661 2266**

### FED UP WITH SPACE INVADERS?

### M.C. LOTHLORIEN



offers you hours of stimulating entertainment  
with their challenging range of **wargames** for  
the **SPECTRUM, ZX81, DRAGON 32**

- **SAMURAI WARRIOR** — could you have been SHOGUN in the 13th Century Japan?  
Price: Spectrum £5.50 16K ZX81 £4.50  
DRAGON 32 £6.95
- **TYRANT OF ATHENS** — can you guide Athens to survival against many other hostile states?  
Price: Spectrum £5.50 16K ZX81 £4.50  
DRAGON 32 £6.95
- **ROMAN EMPIRE** — How good a general are you?  
Price: Spectrum £5.50 16K ZX81 £4.50
- **PELOPONNESIAN WAR** — can you defeat those nasty SPARTANS?  
Price: 16K ZX81 only £4.50
- **WARLORD** — how well can you protect your village?  
Price: 16K ZX81 only £4.50. Dragon 32 £6.95

Cheques or PO's please — made payable to:  
**M.C. LOTHLORIEN, DEPT. P.3  
4 GRANBY ROAD, CHEADLE HULME  
CHESHIRE SK8 6LS**





## IT STORES EVERY PIXEL

Mr J Martin of Clarence Road, Walthamstow, London E17, writes:

**Q** I have a Spectrum and have used the command **SCREENS** to save a picture, and **LOAD** it back, but I cannot find any way of using it. As soon as I press **ENTER** it disappears and I cannot find anyway of retrieving it.

**A** **SCREENS** is a command that stores every pixel on the screen. When you enter a command such as **Enter** then you are asking the computer to print on the screen a listing of the program. This it does and, of course, it overprints the current screen display in the process.

The way round this is to auto run the program, which will return the control to you. If you use a **Print At** statement at 21, 0 the print position will be on the bottom line, which will give you some work space. You would lose whatever was displayed on this line.

## COMING IN THE MONTHS AHEAD

Andrew Jones of Old Road East, Gravesend, Kent, writes:

**Q** I am thinking of buying a Jupiter Ace micro-computer. Do you know if there is much software available for the unexpanded version? I would also like to know the difference between Basic and Microsoft Basic.

**A** The Jupiter Ace is based around Forth 79, though there are some differences. Programs in this should generally work without major changes, though some words in the Ace's dictionary are not to be found in Forth 79 and vice versa.

Remsoft (18 George Street, Brighton, Sussex) has produced two cassettes for the Ace — **Peeker**, which costs £3.50 and enables you to unravel both Rom and Ram, and **Tape 2**, which costs £4.50 and includes **Night Rider**, **Sketch** and **Editor**. More software should become available in the coming months.

Basic has several dialects. Microsoft Basic is probably the most common form. Like most Basics found on home computers, Microsoft differs from its fellows in relatively minor ways.

The form of Basic used on the Sinclair computers is probably the most common after the Microsoft version, by virtue of the large number of Sinclair computers in circulation. It is interesting to note that the Sinclair Basic is very similar to the new Ansii standard for Basic. Perhaps this form will gain more ground.

## COMMAND WAS CORRECT

Paul Gurney of Hereford Road, Hereford, writes:

**Q** I have a 16K Spectrum. On page 169 of the manual it says that if you enter **Clear 23800** as a direct command, it will give you an idea of what happens when the memory becomes full. All I get when I do this is **M-Ramtop** no good. This even happens when I try it as soon as I switch on. I do not really understand what is wrong. Is there anything wrong with my Spectrum?

**A** There is nothing wrong with your Spectrum. This is the result that you were meant to obtain. **Clear** and **Clear n** are commands that in effect New certain of the routines in the computer.

One of the effects of **Clear 23800** is to lower **Ramtop** to that address. **Clear n** will always lower **Ramtop** to the specified address, but in this case you have lowered it so much that there is no room for the Basic program or instructions.

If you look at page 165 of your manual there is a memory map. Look at how much has to be fitted in between 23734 and **Ramtop**. This command gives you just 66 bytes

(23800 — 23734) for this entire area. No wonder there is no room, and an error code comes up. If you look at **Clear** and **Clear n** in the appendix, you will see just what sort of effect they will have on a program.

## THE MANUAL IS COMING SOON

Gary Foreman of Hazelton Road, Colchester, Essex, writes:

**Q** Now that the Commodore 64 is here, and I have access to one, I would like to know if the memory map locations are listed anywhere. There is nothing about them in the manual. This would enable me to start writing some machine code programs, and make use of the User Defined Graphics. Also is there any news of a Commodore 64 Programmers Reference Guide, similar to that for the Vic-20?

**A** These two questions have effectively the same answer. Although I have not seen it, I gather that the 64 Programmers Manual will have a much more complete breakdown of the 64's memory addressing. It is due for release soon, though at the time of writing I do not know how much it will cost. I presume it will be available from all the usual Commodore dealers.

## NO NEED TO GO BACK TO BASIC

P A Roberts of St Johns Avenue, Pearl Street, Carlisle, Batley West, writes:

**Q** I have recently been writing an assembler program for my BBC model B micro, and I would like to know whether it is possible to access **VDU 19** from within the assembler (ie without having to revert to Basic).

The User Guide does not seem to give many clues to a solution to the problem, but since almost all the other Basic commands have a simple

machine-code equivalent for the assembler programmer I'm sure there must be a machine code form of **VDU 19**.

If this is so can other functions such as **Mode** and **GCOL** be accessed in a similar way?

**A** The equivalent of **VDU** in assembler is:

LDA #n  
NEWLINE  
JSR &FEE

where n is the number you want to use, in your case nineteen. You can repeat this as you need. There is a full table of **VDU** codes in the manual.

## MODEL B IS A BETTER CHOICE

D Nugent of Parkway, Coxheth, Kent, writes:

**Q** I am considering buying a BBC computer, but I am unsure of a few points which I hope you would clear up for me. Would the model A have the same graphics capabilities as the B if the A was upgraded to 23K? Also would the programs for the model B **Load** and run in the same way on a 32K model A? Finally what other differences are there between the model A and the model B?

**A** As far as graphics and programs go then a 32K model A will be able to run model B programs. The essential difference lies in the additional facilities that the model B has for peripherals. The model B has both parallel and serial printer interfaces, and the 'Tube', which allows you to add a second processor to your model B. The second processor does not have to be the same as the one on board 6509. At the moment, Acorn is developing a Z80A micro-processor that will be compatible via the tube. This will also make CP/M possible. If you are looking for a computer that can become the centre of an extended system, then the model B will be a much better choice.

Is there anything about your computer you don't understand, and which everyone else seems to take for granted? Whatever your problem **Peek** it to Ian Beardsmore and every week he will **Poke** back as many answers as he can. The address is **Peek & Poke, PCW, Hobhouse Court, 19 Whitcomb Street, London WC2 7HF.**



# CLASSIFIED

Semi-display — £5 per single cc  
Trade lineage — 20p per word  
Private lineage — 10p per word

Melbourne House  
software for the  
**48K SPECTRUM**



**The HOBBIT for the 48K Spectrum with 16 page full colour booklet and Hobbit book now available only £14.95.**  
Orders to Melbourne House,  
131 Trafalgar Road,  
London SE10.  
Or call our 24-hour  
ansaphone for Access  
orders (01) 858 7397

## DRAGON 32 Five Exciting Games for ONLY £5.40

Hires colour and graphics  
Fun for all the family  
**BULLS & OUT**  
**MAZE RUNNER**  
**HAMURABI**  
**RATTRAP**  
**EARTH DEFENCE**  
**ARGENT SOFTWARE LTD**  
Midcourt House  
Lynwood Chase, Bracknell  
Berks RG12 2JT

## ZX81 High Res Graphics Unit £32 (excl. VAT)

Tel: William Haynes 01-969 0819  
Tools for Living  
Notting Dale Technology Centre  
191 Freston Road, London W10 6TH  
cheque/PO (add 15% VAT)  
plus 75p p+p

## BBC MODEL A/B SOFTWARE FOR YOUNG CHILDREN

"A FIRST BOOK OF MICRO-RHYMES"  
5 Nursery Rhymes with tunes, moving pictures and sound effects. £4.95 (inc).  
Peter Gordon, 20 Despard Road,  
London N19.

## M & J SOFTWARE

**DRAGON COMPANION BOOK**..... £8  
Discover 7 extra graphics modes. Take complete control of video memory mapping. Increase the processor speed (not a hardware mode). Append programs from tape. Study the workings of BASIC with the disassembler. Incorporate useful routines from BASIC in your machine programs. Add commands to BASIC.

**FORTH LISTINGS**..... £7  
6502, 8080 Z80, 6809, 6800, 1802 in stock.

**INSTALLATION MANUAL**..... £5  
Necessary for implementing FORTH and its editor.

**6502 MACRO ASSEMBLER**..... £5  
This assembler is written in fig-FORTH and will run on any fig implementation with only one alteration.

**MICROTAN IMPLEMENTATION OF FORTH**..... £15  
This is a cassette based implementation which consists of the language, its editor and M & J SOFTWARE's 6502 macro assembler.


Cheques and POs to: M & J SOFTWARE, 34 Grays Close  
Scholar Green, Stoke-on-Trent ST7 3LU. Tel: (0782) 517876

## PROM SERVICES ZX HARD AND SOFTWARE

ZX81  
8K Erom Board + Erom 1..... £20  
Erom 1.40 toolkit routines..... £10  
Erom 2 rapid LOAD/SAVE..... £10  
Erom 4.20 routine M.C monitor..... £10  
Erom 5.280 disassembler..... £15  
Expansion Board 3-way..... £15  
Graphics Generator including 4K Erom..... £24.50  
SPECTRUM  
Erom Board..... £19  
16K Ram Pack Adaptor..... £5.50  
32 Line I/O Board (also fits ZX81)..... £16  
\*Tape Version special offer only..... £5  
Many other ZX products available. See for list  
3 Wedgewood Drive, Leeds LS8 1EF (0532) 667183

## ZX81 INVADERS in machine code GALAXY INVADERS (4K Ram)..... £4.80 SUPER INVADERS (16K Ram)..... £4.95

(includes animated instructions, league table of hi-scores, etc.)  
"Deservedly popular... excellent"  
Popular Computing Weekly  
Highest total score of 14 games reviewed in  
Your Computer for May 1982  
"The best on the market" S.C. Beds.  
"Great game!" S.F. Glos.  
All-inclusive prices  
Sent promptly by first-class post  
Full money-back guarantee  
**BRIDGE SOFTWARE, Dept. P8**  
36 Fernwood, Marple Bridge  
Stockport, Cheshire SK6 5BE



## Dragon Software! BARNSOFT 32K STARTREK

Save the Universe from the  
Invading Klingons, £6.50.

**Barnsoft, 48 Waverley Road,  
Portsmouth**

## DRAGON 32

New software library.  
SAE for details to:  
**COTSWOLD COMPUTERS  
PARK HILL  
HOOK NORTON, OXON.**

## DRAGON INDEPENDENT OWNERS ASSOCIATION

see for details to  
**DIOA, School House  
Nevers Road, Rayleigh, Essex**

## DRAGON 32 SOFTWARE

Quality software at  
sensible prices

Caterpillar + Space Attack..... £2.95  
Meteor Run + Breakout..... £3.95  
Haunted House..... £3.95  
Goblin Caves (3-D graphics)..... £4.95  
Golf (hi-res graphics)..... £4.95  
3-D Maze..... £4.95  
Devil's Island (adventure)..... £4.95  
Pharaoh's Curse (adventure)..... £4.95

All prices include p&p  
Send s&e for complete list

## APEX TRADING LTD (PCW)

115 Crescent Drive South  
Brighton BN2 6SB  
Tel: Brighton (0273) 36894  
Access/Barclaycard accepted

## SOFTWARE AUTHORS

We are a company specialising in the publication of educational software for computer-assisted learning in schools, colleges and the home.

If you have written programs, or have ideas that you would like to see developed, we would be very happy to hear from you. We can offer extremely attractive royalties and conditions, and the assurance that you will be dealing with professional educational specialists.

If you would like further details, please write to our Software Development Director.

## GARLAND COMPUTING 35 Dean Hill, Plymouth, PL9 9AF

## MONSTER SOFTWARE CLUB

Software library for the

**DRAGON 32**

Top quality cassettes

FOR HIRE

All tapes used with the

Manufacturer's permission

SAE for details

## Monster Software Club

32 Lennox Drive, Lupet Park  
Wakefield, West Yorks.

## COMMODORE 64 £264 (excl. VAT)

Tel: Chris Gurney, Dave Walsh  
or Floyd Peterson:  
Tel: 01-969 4658 or send SAE  
Image Science Micro Computers Ltd  
189 Freston Road, London W10 6TH  
or cheques/PO (add 15% VAT)  
and £5 for p+p

## ZX81 AND SPECTRUM CONSOLE

Heavy duty, black or white rigid plastic. Size 30" x 17". Spaces for computer, printer, cassette recorder. Ram pack, power pack, cassettes, plus extra space for future add-ons. ALL CABLES HIDDEN. Send £11 which includes p&p (state black or white). Delivery by return. Trade enquiries welcome. Kmat, 2 Raeburn Rigg, Livingston, West Lothian, Scotland. 0506 35132.

## EASIREADER

The Greatest Programming Aid  
Since Fingers

★  
Cut down program entry time  
Minimise Bugs by Minimising Entry Errors

The EASIREADER is an attractive, high-quality acrylic plastic stand designed to aid the manual entry of programs from magazine listings, printouts and most books. 99 percent of bugs in programs copied from printout listings are the result of entry errors. The EASIREADER holds the copy at a comfortable angle, avoiding strain, and a specially-designed cursor runs down the program to prevent skipping between complex and similar-looking lines.

It effectively keeps a "finger" on your current line, especially useful for two-handed keyboard entries and for use with Sinclair computers.

Available now only from BUGBEAR (Patent Pending No. 823718) at an introductory price of £12.98 (plus £1.25 p&p).


Send cheque/PO or SAE for further details to: BUGBEAR, Dept. W, Nicholson Buildings, Templeton, South Shields, Tyne and Wear, NE33 5RZ.

Why pay more?  
MEMOTECH 16K Memopak

## ZX81 16K RAM pack Only £28.50 (all inclusive)

Extendable memory — 16K Memopaks may be stacked with other Ram  
A quality product — fully guaranteed  
As sold at W. H. Smith  
Sent promptly by first-class mail

Dept. Pop, **BRIDGE SOFTWARE**  
36 Fernwood, Marple Bridge  
STOCKPORT, Cheshire SK6 5BE



## THE TAPE DUPLICATING CO LTD

Europe's largest manufacturer  
in cassette software

require an enthusiastic young person with an interest in Home Computing and Audio to assist in their rapidly expanding software department.

If you have some technical experience or qualifications **PHONE Ken Fletcher** on 01-609 0087

## ★ 48K SPECTRUM STARTREK II ★

Speed around the galaxy destroying the attacking alien fleets in this fantastic game: it's absolutely realistic — not only must you save mankind, but control your spaceship effectively!

LOOK: machine routines: great sounds, dazzling effects, 3D combat, real-time docking (skiff), on-board computer, hi-res damage reports, energy allocation, etc. 10 levels (easy to near impossible). Free Battle Manual. Speedy delivery for just £8.00 from

**SONIC SOFTWARE**  
9 Benscliffe Drive, Loughborough, Leics.

## SOFTWARE

Up to 50 percent off current price paid for software in perfect original condition with full documentation. Send for spring catalogue of USED SOFTWARE for VIDEO GENIE and APPLE.

Price £1 plus SAE  
A few cassettes for ZX81, and will purchase software for above machines, plus SPECTRUM and VIC20.

**DR D. GRAHAM, 11 HASTINGS ROAD  
BEXHILL-ON-SEA, EAST SUSSEX**

## DRAGON — 'G' SOFT

Meet Merlin, use the Magic Shield, rescue damsels, try to win a kingdom in "KNIGHTS CASTLE". 9 levels of play + "SKI" for 1 to 8 players. BOTH for £4.95 post free from 2 Beaulieu Avenue, Fareham, Hants. PO16 9TS.

## DRAGON 32 AND SHARP SOFTWARE

Games Pack 1 — Bowling, UFO, Muncher, Micropoly, Mastermind..... £6.50

Games Pack 2 — Race-Chase, Depth Charge, Moto Cross, Glorious 12th, Canyon Broom..... £6.50

Games Pack 3 — Tank Battle, Reaction Time, Blind Maze, One Man and His Dog, Life..... £5.50

Games Pack 4 — Poker, Pontoon, Roulette, Stock Broker, Othello (Sharp only)..... £6.50

Devils Triangle — Adventure — Sail to Bermuda but avoid the Devils Triangle where anything can happen..... £5.00

Earth Rescue — Adventure — Search for a rare mineral needed for Earth's survival — space action..... £5.00

Maths Tutor — A set of programmes designed to teach maths to children from 10 to 13 years old..... £5.00

Many other programmes available. SAE for details.

Dragon and Oric programmes wanted.

Generous royalties paid.

Send cheque/PO or SAE for details to: **Abacus Software, 20 Rhinoceros Avenue, Sharples Park, Bolton BL1 8PP**



## DRAGON 32 SOFTWARE

### EDITOR/ASSEMBLER-MONITOR

Assembler functions include ORG, FCB, FDB, FCC, EQU, RMB and Hex or Decimal addition/subtraction. The ASSEMBLER is of the two pass Global type. Monitor contains useful routines enabling the user to write and run machine code programs. Supplied on cassette + user manual £27.65

### D.G.T.1

Contains five super games. OTHELLO, BREAKOUT, AWARI, MOONLANDER and RAFFLES. Fascinating entertainment for all the family. Only £5.75

### D.G.T.4 M-code.

PTERODACTYL. Destroy all the Eggs before they hatch. Beat off the attacking PTERODACTYLS.

TORPEDO RUN. Similar to the ARCADE version. 3D perspective. Ships further away give higher points.

HORNETS. Very fast game. Kill the HORNETS as they emerge, but beware when angry they

ALL ORDERS INCLUSIVE. SAME DAY DESPATCH. SEND S.A.E. FOR LIST

J. MORRISON (MICROS), 2 GLENSDALE STREET, LEEDS LS9 9JJ

Callers welcome please phone (0532) 489987

swoop down firing 'slings'. All three games only £6.95

### DISASSEMBLER

The ideal tool to have around. Disassemble the BASIC to see how it works. Make use of subroutines, etc.

Supplied on cassette £11.85

### D.G.T.2

M/Code games. SNAKES. Kill them before they kill you. Up to 12 giant snakes at one time

LANDER. Land your craft on the Lunar surface.

INVADERS. 35 Invaders, mother ship, 3 defenders, 9 skill levels. All three games in HI-RES + sound. £8.95

### CHESS M-Code.

8 Selectable levels of play. HI-Resolution display of board and pieces. Cursor control 'move' selection. Specifice pieces may be set up to solve chess problems.

Supplied on cassette + instructions. £7.95

## SPECTRUM \*\* DRAGON \*\* zx81 (16k)

New for 1983

### VOCAB FRENCH and VOCAB GERMAN

A vocabulary of the useful 700 words, from word frequency lists, to put the needed words into your "memory"

State machine and FRENCH or GERMAN together with cheque for £5.00 to cover p&p, to . . .

### BOND SYSTEMS

15 BELMONT ROAD, HARROGATE  
NORTH YORKSHIRE HG2 0LR

## WANTED URGENTLY

Arcade-type games programs for Spectrum, ZX81, Vic20, Oric, Dragon, BBC Micro and Lynx. We pay top royalties or buy your copyright for cash. National mail order and dealer sales ensure you get the best reward for your genius.

Write or call into

### NORTHWISH LTD

THE GROUND FLOOR, RALLI BUILDINGS  
STANLEY STREET, MANCHESTER

M3 5FD

or Phone 061-832 9143

## Business Education Ltd

We BUY and SELL

SECONDHAND AND NEW MACHINES  
RENTAL OPTION available

Phone: 636 9612 Martin Foreman

103 Great Russell Street, London WC1

## SPECTRUM

WE STOCK MOST OF THE POPULAR SOFTWARE, OFFERING YOU A RETURN OF POST SERVICE (SUBJECT TO AVAILABILITY). SPECIAL OFFER 5 PER CENT DISCOUNT ON ALL SOFTWARE PURCHASED BEFORE FEBRUARY 28, 1983

Examples of our discounted prices: The Hobbit/Master File £14.20. Pimania £9.50. Black Crystal £7.12. Football Manager/Penetrator/Chess Player/Time Gate £6.60. Inheritance/GB Ltd/Nightlife/Orbiter/Ground Attack/Gulpmen £5.55. Escape/3D Tunnel/Metior Storm £4.70. P&P 50p (Free for 3 or more items).

We also stock Books, Joysticks, Ad-ons etc.

Send large SAE for price list or telephone for current availability.

### IVYSOFT

91 CLEEVE DRIVE, IVYBRIDGE, DEVON.  
(07554) 4088

## DRAGON BYTE

51a QUEEN STREET  
MORLEY

Tel: 522690

Home Computers,  
Software, Board Games  
Mon-Sat 11 am-5 pm



STOCKISTS OF ZX81, SPECTRUM VIC AND ATARI COMPUTERS — AND OTHERS AS WE CAN GET THEM

★  
SOFTWARE: GAMES, EDUCATION ADVENTURES FOR VIC, ATARI ZX81, SPECTRUM ETC, ETC (OUR RANGE GROWS DAILY)

★  
BOARD GAMES GALORE INCLUDING 'DUNGEONS AND DRAGONS'

For more information and details of mail order, ring  
KEITH NATHAN 788377  
or DAVID TOWN 524543  
after 7 pm

in MORLEY to Serve  
**W. YORKS**

ZX81, SPECTRUM, DRAGON  
BBC AND VIC

## SOFTWARE LENDING LIBRARY

We have for hire from 50p (including postage) programmes for your computer.

£5 for life membership (less than the cost of a single game) brings you the Software Lending Library membership kit including catalogue, news letter and free hire of 1st programme/game.

Send a cheque or postal order for £5 to Software Lending Library, PO Box 3, Castleford, West Yorks stating name, address, and computer type.

## SPECTRUM

HOME FINANCE for the 16K and 48K Spectrum £5.95

Home Finance is one of the best home accounting and budgeting packages available. The program is flexible, easy-to-use (menu driven) and handles numerous accounts, budgets and standing orders/regular payments. Changes can be easily made and reports output to a ZX printer.

THIS PROGRAM IS BETTER THAN SOME ACCOUNTING PROGRAMS COSTING UP TO THREE TIMES THE PRICE

Full instructions are included and there is a FREE after sales "help" service.

Order now for immediate delivery (state whether 16K or 48K). Please make cheques/POs payable to Superior Software.

### SUPERIOR SOFTWARE

95 WESTERHAM ROAD  
SITTINGBOURNE, KENT ME10 1XG



## BACK ISSUES OF PCW

Did you miss any copies of

### Popular Computing Weekly

Why not order them as back issues? They are available at 50p each from **Back Numbers, Popular Computing Weekly, Hobhouse Court, 19 Whitcomb Street, London WC2 7RF**

(We are sold out of Volume 1 Nos 2, 6, 7, 10, 11, 12, 13, 15)

**PERSONAL COMPUTERS** bought for cash. Morgan Camera Co, 160 Tottenham Court Road, London, W1. Tel: 01-388 2562.

**DRAGON 32 ADVENTURE GAME.** Stop Koss from destroying the world. Only £3.50. M. Sword, 56 Old Road, Bagin, Port Talbot, W. Glamorgan.

**DRAGON 32/BBC.** Top quality (vanilla) dust covers £2.95 including p.p. C. Ryan, Denison Road, Hazel Grove, Stockport, Cheshire, SK7 6HR.

**SPECTRUM KING!** You rule a medieval English county and have to work to be promoted and become king. One to six players. 16/48K. On cassette. Only £2.50. D. Bayliss, 26 Elgin Road, Cheshunt, Herts, EN8 8QN.

**VIC20 OWNERS.** At last! All-action arcade games for the unexpended Vic at low prices. Written entirely in m/c for exciting colour graphics, animation and sound. Super games cassette — three games on one cassette, Super Break-out, Galaxians and Scrambler. Full feature games with defined graphics, hi-score, free ships and bonus points. Only £4.95. Fast delivery. J. P. Shay, 51 Meadowcroft, Radcliffe, Manchester.

**DUST COVERS** available for any computer, printer, etc. BBC, TI, Epson, £3.95; Dragon, Atari, Vic20, £2.95; Sharp MZ-80A-K, £4.95. For others please phone or write to Sherborne Designs, Victory House, 8A The Rank, North Bradley, Trowbridge, Wilt. Tel: 02214 4425. Also made-to-measure service. Dealer enquiries welcome. Access and Barclaycard.

**BBC SOFTWARE.** Centipede, Galaxians, Asteroids, Mutant-Invaders, Starfire, Sliding-Block Puzzles, Startrek, Graphplot, Disassembler, Defender, all originals. Worth £57, sell £25. 0592 757580 after 6 pm.

**VIC20 SOFTWARE.** high-quality games for expanded or unexpanded machine, from £2. Tel: 0632 372716 (Newcastle).

**32K BBC-MICRO** games tape; Earth Blockade, Super Simon, Briclaster (using hi-res, colour); Twenty-One (Teletext), only £3 on high-quality cassette. M. A. Paris, 38 Woodburn Manor Park, Woodburn Green, Bucks.

**ALL MICRO OWNERS** — filter your power supply and avoid "glitches", filter fitted in two minutes, complete with instructions, £4.50. M. Lamb, 6 Park Street, Scarborough.

**DRAGON OWNERS.** Make the most of your micro with the following: Dragon Dissampler — converts 6809 machine code into assembly language, either to screen or printer, £5. Dragon Memory Map — gives approximately 550 useful locations/entry points for your dragon, £5. Cassette Catalogue — gives a complete breakdown of a tape's contents, including start, end and excellent addresses of machine code programs, £5. Hires Text — draw upper/lower case text on the P Mode 4 screen, easy to use from Basic, £5. G. Elkin, "Jedardwin", Newport Road, Great Brighthelm, Stafford.

**WHY PAY MORE?** Cliffhangman plus Tabletester for Texas T199/4A £3.25 for cassette or Sae for details from J. Shemitt, 1 Aldon Grove, Longton, Preston, PR4 5PJ.

**ZX81/SPECTRUM WORKSTATION** provides secure, stable mounting and common platform with three power switches for computer, tape recorder, printer, power pack. Prevents memory loss through jolts to system. Price £14.75 all inclusive. Baker MF, Unit 6, Woodbridge Industrial Estate, Three Cross, Dorset.

**DRAGON 32 LISTING SERVICE.** Top quality printed listings available on A4 paper to improve documentation and as a last resort back-up copy. Only one penny per program line. Minimum £1. Send your BASIC programs on cassette to: J-SOFT, 2nd Floor, 21 Gold Street, Northampton NN1 1RA.

**ZX81 + 16K RAM PACK** and Fuller keyboard, all leads and 9v adaptor (over 170 programmes), a real bargain at only £80. For details tel: (0734) 784002 after 6.15 pm.

**DRAGON SOFTWARE.** Starquest only £5.95, featuring mountains, invaders, caverns, mothership, superb sound and graphics! Quite simply the best game available, also includes Chase the Invader game with fantastic sound. Send to Software, 51 Bankfield Road, Widnes, Cheshire.

**ZX81 VIDEO INVERTER.** Saves your eyes, increases safe level, displays sharp white characters on solid black background screen. Kit £4, built £5 (includes VAT and P&P, instructions). Reviewed in *Popular Computing Weekly*, August 26. Send cheque/postal order to D. Fritsch, 6 Stanton Road, Thewell, Warrington, Cheshire WA4 2HS.

**16/48K SPECTRUM POOLS PROGRAM.** Calculates and prints out expected results. Includes free blank tape for records, £4.95. C5 and C12 cassettes X10, £3.50 and P&P £1.40. 20 labels 80p. M. W. Holman, 60 Camperdown Street, Bexhill, Sussex TN31 5BE.

**DRAGON GAME CARTRIDGE PCB** (plated through hole, double-sided). Accept two 2516, 2532, 2564, 2716, 2732 or 2764. Erom copying service provided for only £1 each. Also available: DC-DC converter (5v input to 25v output, current output 50mA maximum, ripple level pk-pk 80mV, measuring only 35mm x 40mm x 19mm. Game PCB £5.50 (full instructions provided, please specify 25 or 27 series). DC-DC converter, £10 (with full specification). Price inclusive of VAT, P&P 60p. K. H. Png, 30 Queensbury Road, Alport, Middlesex HA0 1LU. Tel: Egham (0784) 34300 ext. 208 or 01-997 9708 evenings.

**DRAGON GAMES TAPE.** Keyboard trainer, Bomber, Moonlander, Grand Prix, Hermes Tracker, £3.50 including p.p., guaranteed. M & M, 163 Westgate, Brighouse.

**WANTED.** Original software for Dragon/Jupiter Ace, top royalties, Dragon Disassembler, £5, text editor, £5. Tel: 0734 665570.

**DRAGON 32 POOLS SELECTOR.** Uses sound, graphics, great fun, user friendly. Cassette £2.50, to: S. Neal, 15 Highview Crescent, Hutton, Essex, EM13 1BJ.

**ZX SPECTRUM.** 16/48K, a clever character, designer, plus six high class games, including Pac Monster, Galaxians, Grand Prix, Catacombs, £3 inclusive. Send to Crown House, Ford, Argyll, Scotland.

**DRAGON 32?** The Scottish Dragon Club welcomes new members. Send £8 for membership card, free games, tape, newsletter etc., to The Scottish Dragon Club, TF, 1 Walker Street, Edinburgh.

**BBC QUALITY PROGRAMS.** Low prices, "Chess Clock" (16K), £1.95. "Two-player Blackjack" (32K), £2.45. Datum, 22 Chesterfield Road, Southport, PR8 3JS.

**SHARP MZ 80K.** Hundreds of games and applications, any 20 of your choice, £5. Details, phone Watford 46955.

**SWAP** your unwanted software via Software Exchange Club. SAE for details. UKSEC, 15 Tunwell Greave, Sheffield S5 9GB.

**ACE INVADERS.** A program in Forth for the Jupiter Ace. Fast action, full graphics and sound. Listing £1 or cassette £1.50 including p.p. Forth Dimension, 32 Bathurst, Orton Goldhay, Peterborough.

**WORLD INFO.** a data base of information about the modern world. Readers of newspapers, students and teachers of Current Affairs, International Relations and Modern Studies need it. Includes wars, areas of tension, top men, types of regime, alliances and much more. For ZX81. Full file on 32K, parts on 16K. Uses Campbell Systems THE FAST ONE. Spectrum version in preparation. £14 from WIMSOF, 20 Brookside Road, Wimborne, Dorset BH21 2BL.

**JOYSTICKS FOR DRAGON 32.** essential to games enthusiasts or graphic artist, £7 each or £13 pair +50p p.p. Microcare, 1 Oakwood Road, Rode Heath, Stoke-on-Trent, Staffs. Tel: (09363) 5695.

## Computer Swap 01-930 3266

Free readers entries to buy or sell a computer.  
Ring 01-930 3266 and give us the details.

### Commodores for sale

**VIC 20**, + cassette deck, + prog aid, + super expander, + Voodoo Castle, + Lightpen, + reference manual, + software Frogger, Blitz, Amok, Space Storm, £295. Tel: Robert, 01-455 1132 (6 pm).

**PET/CBM** personal computer guide, excellent 500-page book by Adam Osborne on everything about the Pet, £5. Tel: Erith 37437 (evenings).

**VIC20** + cassette unit and joystick, super expander cartridge + PacMan cartridge + cassettes + intro to Basic Part 1, £200 ono. Tel: 01-600 0818 extension 268, Mr. Young.

**COMMODORE PET 32K Basic 4**, super soft, superchip reset switch cassette deck + manuals/books, including Pet Revealed + Pet Sub-routines, £350 ono. Tel: Erith (Kent) 37437 evenings.

**COMMODORE 4040** dual disc drives, as new. Holds 174K per drive + disc operating system, manual + leads. Many prog. on discs including Paper-Mate Word Processor, cost £680, bargain at £450. Tel: Erith (Kent) 37437.

**COMMODORE ASSEMBLER** development system, including mender with documentation, for creating machine code programs. The Disc including Exbro Mon + Super Mon programs for de-bugging, £25. Tel: Erith (Kent) 37437.

**VIC20** + cassette unit, 16K Ram, joystick + software, £220 ono. Rochdale (0706) 58670.

**VIC 1515** graphic printer complete with 1,000 sheets of paper, £140 ono. Mr Bailey, Chandlers Ford. Tel: 04215 67411 9 am—5 pm.

**VIC20** will swap Omega Race cartridge for Gorf or any Adventure. Tel: 061 423 7720, after 6 pm.

**SWAP GRANDSTAND MODEL 6000** colour TV game with mains adapter, for any Commodore adventure for Vic20 except Pirate Cove. Tel: Bliton 3057.

**VIC20 + CASSETTE 3K** super expander + 8K Motherboard, Account Rat Race, Mastermind, Vic Revealed. Lots of other software. All original packing, £250. Tel: 01-952 4397.

### Ataris for sale

**ATARI 400** (16K) with cassette recorder, Joysticks, "Jumbo Jet Pilot", "Preppie", programming cassette, all manuals, as new, cost £380, accept £290. Tel: 01-691 0849 eves.

**ATARI VCS**, very good condition, plus 4 cartridges, combat, video olympus, air-sea battle and maze craze, £100. Tel: Keresley (0203) 334557 (evenings).

**ATARI VCS** plus joystick and paddles, four cartridges including Superman, excellent condition £70. Tel: Gravesend (0474) 64880.

**ATARI VIDEO GAME**, £120, five cartridges. Tel: Cleckheaton 870089.

**ATARI** + five tapes in good condition, £95. Tel: 01-699 2875.

**ATARI VCS**, five cartridges, £115 ono. Tel: Blackpool 866096.

**ATARI VCS** games system, with six cartridges, Defender, Missile Command, Asteroids, Championship Soccer, Outlaw, Combat, new £230, offers for £115. Tel: 01-997 2017.

### For sale

**DRAGON 32** + joysticks, brand new, £180. Tel: 01-891 2383 (eves).

**SHARP MZ80K**, 48K, as new, 11 months old, Sharp assembler, Xtel Basic, 4th, many games, £275 ono. Tel: 01-472 5457 after 5 pm.

**TANDY TRS 80** level II, 16K Ram, monitor, cassette, quick printer, stringy floppy, complete with manuals + games prog, £295. Tel: (0253) 891769 (Blackpool).

**JUPITER ACE MICROCOMPUTER**, £85, works in fourth, all manuals + leads. Tel: Bath 20568 after 4 pm.

**GRUNDY NEWBRAIN A/D**, brand new, all leads + manuals included, accept offers above £200. Tel: Hayle 754845.

**SHARP MZ80K**, 48K, green screen, extended Basic + software, excellent condition, £285 + carriage. Tel: 0229 37853.

**SUPERBOARD III**, Cegmon, Basic I, Premier Screen up to 64 x 32, Basic V, Toolkit II, encoder, sound board, + software including Scramble, AD, Invaders, cost £630, sell £400 ono. 01-200 7028 (6 pm).

**DRAGON 32.** Unwanted gift still in box. Complete with Dragon Special Selection 2 Tape. Cost £200, will sell for £170. W. Hendry, 81(b) Lothian Street, Bonnyrigg, Midlothian. Tel: 031-663 5450.

**VIDEO GENIE**, 16K, 12 inch black and white TV converted for use as monitor, manuals, leads, books and software, worth £160 plus — all for only £280 ono. Phone Kidlington (Oxon) 77488 evenings.



## Ziggurat



## Simulating reality

A computer simulation is a copy, in numerical form, of some abstraction from reality.

Take population growth: as Malthus noted, if there are no checks then the growth of population is exponential in form. This can be copied if we abstract from reality by forgetting births and deaths and only concentrating on the increase in size at a constant rate.

If  $R$  is the rate and  $P$  is the original population size (already set), we can compute the size of successive years' populations by one line:

```
FOR I = 1 TO 20: P = P * R: PRINT I, P: NEXT I
```

The same line can be split into four separate lines for machines such as the ZX81. If you try different values for  $R$ , you will be able to see how quickly such a population would grow — if nothing else happened.

A different approach to simulating (sometimes called modelling) population growth is used by the program normally called *Life*. Many versions have been written but the basic program is listed in *Basic Computer Games* by David Ahl (1978), based on an idea by Martin Gardner in *Scientific American* of October 1970.

The original version of *Life* used a number of counters — itself a simulation — which were added to or subtracted from, according to three rules. Any counter with two or three neighbours survives; every counter with four or more neighbours is removed (or 'dies'); and every empty cell, with exactly three counters adjoin-

ing, has a counter placed upon it (is 'born'). From different starting configurations of counters, different sets will have different life histories; some populations even die out.

The *Life* program is a helpful reminder that, just because something has always happened before, nothing *has* to happen in the future.

Consider the growth in the number of computers. Over the last three years they have grown at a rate of about, say, 49 percent (the figure is a guess), so that in 20 years the number of computers will be about 2,000 times the number at the beginning of the three years. If 1 percent of the population had a computer at the start of the three years, that means in 17 years there will be 20 computers per head. Not likely.

Of course, things might be different. If the total population is  $T$  (say 100 units) and the number of people with a computer is  $P$ , then the number of people who might buy a computer is  $T - P$ . The likelihood of a computer being purchased depends upon how many are without computers (ie  $T - P$ ).

Suppose, therefore, that the number of new purchasers depends on the present number of owners and non-owners and some constant. So, if  $I$  is the number of new purchasers  $I = K * P * (T - P)$ . Assuming we have values for  $K$ ,  $T$ , and an initial value for  $P$ , we can program:

```
1000 FOR J = 1 TO 20: I = K * P * (T - P)
1010 PRINT J, I + P, (I + P) / P: P = I + P: NEXT J
```

which will list the time period, new population, and the ratio between the new population and the previous population of computers. (Note how the purchasers have become a *population* of computers?)


If you set  $K = 0.005$ ,  $P = 1$ , and  $T = 100$  then the growth rate (the final column) starts at 1.495, then 1.493, then 1.488, and after six years it is still 1.475. By year 10 the population is 30.463. Even by year 20 the population is only 99.407: not 2000.

Really, this new model is too simple — but it is better than the first attempt. What we really want is an even better one...

Boris Allan

## Puzzle

## Cubed beginning



### Puzzle No 41

The number 153 has the following unusual property. If each of the digits is cubed and these cubes are added together we arrive back at the original numbers:

$$1^3 + 5^3 + 3^3 = 1 + 125 + 27 = 153$$

Can you find any other numbers with this property?

### Solution to Puzzle No 36

Starting with zero and one, each term in the Fibonacci series is formed by adding together the preceding two terms, eg:

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, ...

The following program generates the first 20 terms of the Fibonacci series, and displays the result of dividing each term by the preceding one. The value so obtained converges on the 'golden' number.

```
10 LET X = 0
20 LET Y = 1
30 FOR N = 1 TO 10
40 PRINT X, Y/X
50 LET X = X + Y
60 PRINT Y, Y/X
70 LET Y = X + Y
80 NEXT N
```

The value of the 'golden' number is: 0.61803399... Stability in the 8th decimal place is shown by the convergence of the 9th decimal place.

### Winner of Puzzle No 36

The winner is: D Pain, Yew Tree Lane, Rotherfield, East Sussex, who receives £10.

## Top 10

Astari	(First Star Software)†	Spectrum	(Melbourne House)
1(2) Astro Chase	(Adventure International)	1(1) The Hobbit	(Melbourne House)*
2(7) Preppie	(English Software)	2(2) Penetrator	(New Generation)
3(1) Air Strike	(Atari)*	3(-) 3D Tunnel	(Imagine)
4(-) Galaxians	(Data Soft)	4(-) Arcadia	(Psion)
5(-) Canyon Climber	(Synapse)	5(-) Flight Simulation	(Artic)
6(4) Shamus	(Atari)*	6(-) Spectrum Chess	(Bug-Byte)
7(-) Pac-Man	(Thorn EMI)†	7(7) Spectral Invaders	(Psion)
8(5) Jumbo Jet Pilot	(Microprose)§	8(9) Hungry Horace	(New Generation)
9(-) Helicat Ace	(International)†	9(6) Escape	(Siverson)
10(3) The Scott Adams Adventures		10(4) Orbiter	

\*Cartridge, †24K cassette, ‡32K cassette, §48K disc.  
(Figures compiled by Callisto Computers, Birmingham 021-632 6458)

ZX81*	(DUL Software)	Vic20	(Llamosoft)
1(2) Frogger	(JK Greye)	1(3) Grid Runner	(Llamosoft)
2(5) 3D Defender	(Colourmatic)	2(-) Abductor	(Llamosoft)
3(5) Gauntlet	(Psion)	3(9) Blitz	(Commodore)
4(4) Flight Simulation	(Campbell Systems)	4(2) Jellymonsters	(Commodore)*
5(6) Gulp II	(Camell Software)	5(-) Gorf	(Commodore)*
6(1) Black Crystal	(Panda)	6(4) Andes Attack	(Llamosoft)†
7(-) Sea War	(Abbersoft)	7(1) Traxx	(Rabbit)
8(-) Adventure 1	(Bug-Byte)	8(6) Hopper	(Rabbit)
9(-) Mazogs	(Bug-Byte)	9(8) Myriad	(Rabbit)
10(-) ZXAS	(Bug-Byte)	10(-) Shark Attack	(Romik)

All 16K.  
(Figures compiled by Buffer Micro Shop, London 01-769 2887)

Books	(Acornsoft)	(Macmillan)
1(-) Creative Graphics on the BBC Microcomputer, Cowrie	(Osborne)	(Sybex)
2(2) Assembly Language Programming for the BBC Micro, Birnbaum	(Osborne)	(Osborne)
3(5) Discover Forth, Hogan	(Melbourne House)	(Prentice Hall)
4(6) Programming the 6502, Zaks	(Acornsoft)	(Granada)
5(9) 280 Assembly Language Programming, Levantthal	(Cambridge CUP)	
6(-) Over the Spectrum, various authors		
7(7) Basic Programming for the BBC Micro, Crier		
8(-) Graphs and Charts on the BBC Microcomputer, Harding		
9(8) Spectrum Book of Games, James et al.		
10(-) Illustrating Basic, Alcock		

(Figures compiled by Watford Technical Books, Watford 0923 23324)  
(Last week's figures in brackets)

## LOSERS





# upgrade to an ORIC-1



**16 colours  
professional  
keyboard  
full graphics  
real sound**

- Superb styling
- Choice of 16K, or 48K RAM
- Ergonomic keyboard with 57 moving keys
- 28 rows x 40 characters high resolution
- Teletext/viewdata compatible graphics
- 6 octaves of real sound plus Hi-Fi output
- Centronics printer interface and cassette port
- Comprehensive user manual

**FOR HOME, EDUCATION, BUSINESS & ENTHUSIASTS.**

OPTIONAL MODEM OFFERS COMPUTER PHONE LINK FOR: ELECTRONIC MAIL ● TELESOFTWARE ● PRESTEL  
COMING SOON, TO COMPLETE YOUR SYSTEM: ORIC MICRO-DRIVE DISCS & SPEED PRINTER

ORIC is no toy! Its professional keyboard, Basic language and extensive specification, will do all you expected of your home computer, plus a whole lot more. For home, educational, business and games use.

If you're buying for the first time beware! Only ORIC computers offer full colour capability for under £100 and the most powerful and comprehensive micros in their price brackets.

So whether you're just starting out, or upgrading existing equipment, make the professional decision and choose ORIC. Send for our comprehensive brochure NOW, or better still, order your ORIC today.

Delivery is around 28 days with a money back guarantee if you're not delighted.

FROM  
**£99.95**  
incl VAT

## ORIC-1

**The Real Computer System**

**ORIC PRODUCTS INTERNATIONAL LTD**

Coworth Park Mansion, Coworth Park, London Road,  
Sunninghill, Ascot, Berks SL5 7SE

Prices	ORIC-1 16K RAM	£ 99.95	
Include	ORIC-1 48K RAM	£169.95	
VAT	ORIC Communications Modem	£ 79.95	
	Postage and Packing		£ 5.95
	<b>TOTAL</b>		<b>£</b>

Please charge my Access, Barclaycard  
Amex, Diners Club account no.

\*Please delete/complete  
as applicable.  
\*I enclose a cheque/  
PO payable to:  
ORIC PRODUCTS  
INTERNATIONAL  
LIMITED  
for £

Name   
Address

If you require a brochure  
please tick ☐

PCWW

© Copyright ORIC PRODUCTS INTERNATIONAL 1982



